

Inspection Report

Report No.: XYSJ-140717
Supplier : XY-GLOBAL

Inspection Date: 25th Aug, 2014
Inspector: Leo

Inspection only for: PO : XYSJ-140717 Item No. XY11KA013	<u>Inspection Result:</u> PASS
---	-----------------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11KA013	33000PCS	5% inspection	0pcs	No failure	33000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

XY11KA013									
Item	Spec	Unit	Min	Max	Min	Max	Min	Max	Min
1	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
2	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
3	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
4	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
5	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
6	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
7	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
8	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
9	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
10	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
11	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
12	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
13	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
14	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
15	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
16	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
17	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
18	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
19	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
20	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
21	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
22	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
23	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
24	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
25	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
26	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
27	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
28	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
29	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
30	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
31	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
32	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
33	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
34	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
35	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
36	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
37	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
38	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
39	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
40	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
41	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
42	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
43	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
44	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
45	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
46	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
47	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
48	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
49	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
50	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
51	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
52	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
53	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
54	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
55	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
56	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
57	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
58	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
59	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
60	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
61	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
62	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
63	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
64	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
65	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
66	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
67	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
68	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
69	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
70	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
71	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
72	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
73	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
74	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
75	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
76	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
77	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
78	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
79	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
80	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
81	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
82	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
83	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
84	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
85	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
86	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
87	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
88	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
89	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
90	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
91	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
92	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
93	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
94	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
95	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
96	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
97	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
98	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
99	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00
100	10.00	mm	9.95	10.05	10.00	10.05	10.00	10.05	10.00

6. The test report

[illegible]

Safety is our serious job for our worker and engineer team

