

Inspection Report

Report No.: XYLA-150407
Supplier : XY-GLOBAL

Inspection Date: 11th May, 2015
Inspector: Leo

Inspection only for: PO : XYLA-150407 Item No. XY31PC017	<u>Inspection Result:</u> PASS
--	-----------------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY31PC017	35000PCS	1% inspection	0pcs	No failure	35000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

Item	Spec	Unit	Value	Unit	Value	Unit	Value
1	1.0	mm	1.0	mm	1.0	mm	1.0
2	2.0	mm	2.0	mm	2.0	mm	2.0
3	3.0	mm	3.0	mm	3.0	mm	3.0
4	4.0	mm	4.0	mm	4.0	mm	4.0
5	5.0	mm	5.0	mm	5.0	mm	5.0
6	6.0	mm	6.0	mm	6.0	mm	6.0
7	7.0	mm	7.0	mm	7.0	mm	7.0
8	8.0	mm	8.0	mm	8.0	mm	8.0
9	9.0	mm	9.0	mm	9.0	mm	9.0
10	10.0	mm	10.0	mm	10.0	mm	10.0
11	11.0	mm	11.0	mm	11.0	mm	11.0
12	12.0	mm	12.0	mm	12.0	mm	12.0
13	13.0	mm	13.0	mm	13.0	mm	13.0
14	14.0	mm	14.0	mm	14.0	mm	14.0
15	15.0	mm	15.0	mm	15.0	mm	15.0
16	16.0	mm	16.0	mm	16.0	mm	16.0
17	17.0	mm	17.0	mm	17.0	mm	17.0
18	18.0	mm	18.0	mm	18.0	mm	18.0
19	19.0	mm	19.0	mm	19.0	mm	19.0
20	20.0	mm	20.0	mm	20.0	mm	20.0
21	21.0	mm	21.0	mm	21.0	mm	21.0
22	22.0	mm	22.0	mm	22.0	mm	22.0
23	23.0	mm	23.0	mm	23.0	mm	23.0
24	24.0	mm	24.0	mm	24.0	mm	24.0
25	25.0	mm	25.0	mm	25.0	mm	25.0
26	26.0	mm	26.0	mm	26.0	mm	26.0
27	27.0	mm	27.0	mm	27.0	mm	27.0
28	28.0	mm	28.0	mm	28.0	mm	28.0
29	29.0	mm	29.0	mm	29.0	mm	29.0
30	30.0	mm	30.0	mm	30.0	mm	30.0
31	31.0	mm	31.0	mm	31.0	mm	31.0
32	32.0	mm	32.0	mm	32.0	mm	32.0
33	33.0	mm	33.0	mm	33.0	mm	33.0
34	34.0	mm	34.0	mm	34.0	mm	34.0
35	35.0	mm	35.0	mm	35.0	mm	35.0
36	36.0	mm	36.0	mm	36.0	mm	36.0
37	37.0	mm	37.0	mm	37.0	mm	37.0
38	38.0	mm	38.0	mm	38.0	mm	38.0
39	39.0	mm	39.0	mm	39.0	mm	39.0
40	40.0	mm	40.0	mm	40.0	mm	40.0
41	41.0	mm	41.0	mm	41.0	mm	41.0
42	42.0	mm	42.0	mm	42.0	mm	42.0
43	43.0	mm	43.0	mm	43.0	mm	43.0
44	44.0	mm	44.0	mm	44.0	mm	44.0
45	45.0	mm	45.0	mm	45.0	mm	45.0
46	46.0	mm	46.0	mm	46.0	mm	46.0
47	47.0	mm	47.0	mm	47.0	mm	47.0
48	48.0	mm	48.0	mm	48.0	mm	48.0
49	49.0	mm	49.0	mm	49.0	mm	49.0
50	50.0	mm	50.0	mm	50.0	mm	50.0
51	51.0	mm	51.0	mm	51.0	mm	51.0
52	52.0	mm	52.0	mm	52.0	mm	52.0
53	53.0	mm	53.0	mm	53.0	mm	53.0
54	54.0	mm	54.0	mm	54.0	mm	54.0
55	55.0	mm	55.0	mm	55.0	mm	55.0
56	56.0	mm	56.0	mm	56.0	mm	56.0
57	57.0	mm	57.0	mm	57.0	mm	57.0
58	58.0	mm	58.0	mm	58.0	mm	58.0
59	59.0	mm	59.0	mm	59.0	mm	59.0
60	60.0	mm	60.0	mm	60.0	mm	60.0
61	61.0	mm	61.0	mm	61.0	mm	61.0
62	62.0	mm	62.0	mm	62.0	mm	62.0
63	63.0	mm	63.0	mm	63.0	mm	63.0
64	64.0	mm	64.0	mm	64.0	mm	64.0
65	65.0	mm	65.0	mm	65.0	mm	65.0
66	66.0	mm	66.0	mm	66.0	mm	66.0
67	67.0	mm	67.0	mm	67.0	mm	67.0
68	68.0	mm	68.0	mm	68.0	mm	68.0
69	69.0	mm	69.0	mm	69.0	mm	69.0
70	70.0	mm	70.0	mm	70.0	mm	70.0
71	71.0	mm	71.0	mm	71.0	mm	71.0
72	72.0	mm	72.0	mm	72.0	mm	72.0
73	73.0	mm	73.0	mm	73.0	mm	73.0
74	74.0	mm	74.0	mm	74.0	mm	74.0
75	75.0	mm	75.0	mm	75.0	mm	75.0
76	76.0	mm	76.0	mm	76.0	mm	76.0
77	77.0	mm	77.0	mm	77.0	mm	77.0
78	78.0	mm	78.0	mm	78.0	mm	78.0
79	79.0	mm	79.0	mm	79.0	mm	79.0
80	80.0	mm	80.0	mm	80.0	mm	80.0
81	81.0	mm	81.0	mm	81.0	mm	81.0
82	82.0	mm	82.0	mm	82.0	mm	82.0
83	83.0	mm	83.0	mm	83.0	mm	83.0
84	84.0	mm	84.0	mm	84.0	mm	84.0
85	85.0	mm	85.0	mm	85.0	mm	85.0
86	86.0	mm	86.0	mm	86.0	mm	86.0
87	87.0	mm	87.0	mm	87.0	mm	87.0
88	88.0	mm	88.0	mm	88.0	mm	88.0
89	89.0	mm	89.0	mm	89.0	mm	89.0
90	90.0	mm	90.0	mm	90.0	mm	90.0
91	91.0	mm	91.0	mm	91.0	mm	91.0
92	92.0	mm	92.0	mm	92.0	mm	92.0
93	93.0	mm	93.0	mm	93.0	mm	93.0
94	94.0	mm	94.0	mm	94.0	mm	94.0
95	95.0	mm	95.0	mm	95.0	mm	95.0
96	96.0	mm	96.0	mm	96.0	mm	96.0
97	97.0	mm	97.0	mm	97.0	mm	97.0
98	98.0	mm	98.0	mm	98.0	mm	98.0
99	99.0	mm	99.0	mm	99.0	mm	99.0
100	100.0	mm	100.0	mm	100.0	mm	100.0

6. report

[illegible]

High qualified surface treatment can make your parts perfect !!!

