XY-GLOBAL **XY Electronics Technology Co., Ltd**

Inspection Report

Report No.: XYSA-130522
Supplier : **XY-GLOBAL**

Inspection Date: 15th Jun, 2013
Inspector: Leo

Inspection only for:	Inspection Result:
PO . XYSA-130522 Item No. XY11SL026	**PASS**

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11SL026	**12000PCS**	5% inspection	0pcs	No failure	12000pcs

Appearance Inspection :
No failure,
Dimension Inspection:
No failure , below measurement report for reference.
Assembly Test:
No failure
Inspection Summary
The inspection sample plan is 100% inspection.

Digital photo records :

1. Packing

2. Product

3. Product

4 Product

5. Product:



6. The test report

□□□□□□□□□	□□□□□ □□□□□□ □□□□□□□□ □□□□□□□□□ □□□□□□□ □□□□□□ □□□□□□□□□ □□□□□□□ □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□ □□□□□□□ □□□□□□□ □□□□□ □□□□□ □□□□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□□ □□□□□□□□□□□
□□□□□□□	□□□□□□□□□□□ ADC12□ A380 □□□
□□□□□□□□	□□□□□□ □□□□ □□□ □□□□□□□□
□□□□□□□□ □□□□□□□□□	□□□□□□ □□□□□□ □□□□□□□□□□□ □□□□□□□ □□□□□□□□ □□□□□□□ □□□□□□ □□□□□□□ □□□□□□□ □□□□□ □□□ □□□□
□□□	□□□□□□ □□□□□□□□□ □□□□ □□ □□□□□ □□□□
□□□□□□□□ □□□□□	□□□□□ □□□ □□□□□□ □□□ □□□□ □□□ □□□□ □□□ □□□□□□□ □□□□ □□□□□ □□□□□□ □□□□□□□□ □□□□□□□ □□□ □□□ □□□ □□□□□ □□□□□□ □□□□□□□□ □□□□□□□ □□□□□□ □□□ □□□□□□
□□□□ □□□□□	□□□□□□□□□ □□□□□□ □□□□□□□ □□□□□ gague□ □□□□ □□□□□□□□ □□□□□□□□ □□□□ □□□□□□□ □□□□□ □□□□□□□ □□□□□□□□ □□□□□ □□□□□□□ □□□□ □□□□□□□□□ □□□□ □□□□□□□□ □□□□□□□ □□□□□□□□□ □□□ □□□□□ □□□ □□□□ □□□□□□□ □□□□□ □□□□□□□ □□□□□□□□ □□□□□ □□□□□□□
□□□	□□□□□□□□ □□□□
□□□□□□□□ / □□□□□	+/- 0.01MM
□□□	T / T 50 □ □□□□□ □50 □□□□□□ T / T □□□□□ □□ □□□□□□ □□□.
□□□□□□□ □□□□	□□□□□□□□ □□□□□□□ □□□□□ □□□□□□□□□ □□□□□□□ □□□□ □□□□□ □□□□□□ □□□□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□ □□□□□□ □□□□□□□ □□□□□ □□□□ □□□□□□□□ □□□□□□□ □□□□□ □□□□□ □□□□□□ □□□
□□□□□	□□□□□□ □□□□□□□□□□□□ □□□□□□□□ □□□□□□□□□□ □□□□□□□□ □□□□ □□□□□□□ □□□□□□□□ □□□□ □□□□□ □□□□□□□□ □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□□□□□□□□ □□□□□□□□□□ □□
□□□□□□□□	□□□□□□ □□□□□□
□□□□□□ □□□□	20-25 □□□ □□□□ T / T 50□ □□□□□□□□ □□
□□□□□□□□□ □□□□□□□□	□□□□□□□□□□ □□□□□□□ □□□□
1.Name: □□□□□ □□□□ □□□□ □□□□□□□□□□□ □□□□□□□ □□□□□□□ □□□□□ □□□□ □□□□□	
2.Process: □□□□□ □□□□□□ □□□□□□□□ □□□□□□□ □□□□□ □□□□ □□□□□□□□□□□	
3.Material: □□□□□□□□□□□ □□ ADC12□ A380 □□□	
4.Surface □□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□□ □□□□□□□□ □□□□□ □□□□□□ :□□□□□	
5.Tolerance: 0.01 -/+ □□□ □□□ □□ □□□□MM	
6 □□□□□□.Quality: 100□ □□□□□	
7.Specification: OEM □□□□□□ □□□□□ □□ □□□□ □□□□□	
8. □□□□□□□□ □□ □□□□□ 30-25 :□□□□□□□ □□□ □□□□.	
9. □□□□□□□ □□□□□□□□□ □□□□□□□□□□□ □□□□ □□□□ □□□□□□□□□□ :□□□□□□□ accessoried □□□ □□□□□□□□ □□□□ □□□□	
10. □□□□ □□□□□□□□□□□ □□□□□□□ □□□□□□□□ :□□□□□□□□ AUSTRIAL□ □□□□□□ □□□□□□□□ □□□□□□□	
11. □□□□□: ISO 9001	
□□□□ □□□□□	
1. 10 □□□□□□ □□□□□ □□ □□□□□□ □□ □□□□	
2. □□□□□ □□□□□□ □□□□□ □□□□	
3. □□ kindls □□ finishment □□ □□□□□□□□ abailable	
4. □□□□□□□ □□□□□□ □□□□□ □□□□ □□□	
5. □□□□□□ □□□□□□□ □□□	
6. □□□□□ □□□□	
7. □□□□□□ □□□□□ □□□□ □□□ □□□□□□□ □□ □□□□ □□□□□	
□□□□□□□	
□□□□□□ □ □□□□□ □□□□ □□ :□□□□ □□□□ □□□□□□□□□□ □□□ □□□□	
□□□□□□□□ □□□□□□□ :□□□□□□□ □□□□□ □□□□ □□□□ □□□□□□□□□□	
□□□□□ □□□□□ □□□□ □□□□ □□□□□□□□□□: ISO9001	
□□□□□□ □□□□ □□□□□□ :□□□□□□ □□□□ □□□□□□□□□□ □□□ □□□□	
□□□□□ □□□□ □□ □□□□ □□□□ □□□□□□□□□□ OEM	

Safety is our serious job for our worker and engineer team