

Inspection Report

Report No.: XYSL-150607
Supplier : XY-GLOBAL

Inspection Date: 10th July, 2015
Inspector: Leo

Inspection only for: PO : XYSL-150607 Item No. XY31XL005	Inspection Result: PASS
--	----------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY31XL005	32000PCS	1% inspection	0pcs	No failure	32000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

pocdmis									
MEASURED DATA									
NO.	ITEM	UNIT	MEASUREMENT	MIN	MAX	TOLERANCE	STATUS	REMARK	DATE
1	1.0	mm	1.000	0.995	1.005	±0.005	PASS		
2	2.0	mm	2.000	1.995	2.005	±0.005	PASS		
3	3.0	mm	3.000	2.995	3.005	±0.005	PASS		
4	4.0	mm	4.000	3.995	4.005	±0.005	PASS		
5	5.0	mm	5.000	4.995	5.005	±0.005	PASS		
6	6.0	mm	6.000	5.995	6.005	±0.005	PASS		
7	7.0	mm	7.000	6.995	7.005	±0.005	PASS		
8	8.0	mm	8.000	7.995	8.005	±0.005	PASS		
9	9.0	mm	9.000	8.995	9.005	±0.005	PASS		
10	10.0	mm	10.000	9.995	10.005	±0.005	PASS		
11	11.0	mm	11.000	10.995	11.005	±0.005	PASS		
12	12.0	mm	12.000	11.995	12.005	±0.005	PASS		
13	13.0	mm	13.000	12.995	13.005	±0.005	PASS		
14	14.0	mm	14.000	13.995	14.005	±0.005	PASS		
15	15.0	mm	15.000	14.995	15.005	±0.005	PASS		
16	16.0	mm	16.000	15.995	16.005	±0.005	PASS		
17	17.0	mm	17.000	16.995	17.005	±0.005	PASS		
18	18.0	mm	18.000	17.995	18.005	±0.005	PASS		
19	19.0	mm	19.000	18.995	19.005	±0.005	PASS		
20	20.0	mm	20.000	19.995	20.005	±0.005	PASS		
21	21.0	mm	21.000	20.995	21.005	±0.005	PASS		
22	22.0	mm	22.000	21.995	22.005	±0.005	PASS		
23	23.0	mm	23.000	22.995	23.005	±0.005	PASS		
24	24.0	mm	24.000	23.995	24.005	±0.005	PASS		
25	25.0	mm	25.000	24.995	25.005	±0.005	PASS		
26	26.0	mm	26.000	25.995	26.005	±0.005	PASS		
27	27.0	mm	27.000	26.995	27.005	±0.005	PASS		
28	28.0	mm	28.000	27.995	28.005	±0.005	PASS		
29	29.0	mm	29.000	28.995	29.005	±0.005	PASS		
30	30.0	mm	30.000	29.995	30.005	±0.005	PASS		
31	31.0	mm	31.000	30.995	31.005	±0.005	PASS		
32	32.0	mm	32.000	31.995	32.005	±0.005	PASS		
33	33.0	mm	33.000	32.995	33.005	±0.005	PASS		
34	34.0	mm	34.000	33.995	34.005	±0.005	PASS		
35	35.0	mm	35.000	34.995	35.005	±0.005	PASS		
36	36.0	mm	36.000	35.995	36.005	±0.005	PASS		
37	37.0	mm	37.000	36.995	37.005	±0.005	PASS		
38	38.0	mm	38.000	37.995	38.005	±0.005	PASS		
39	39.0	mm	39.000	38.995	39.005	±0.005	PASS		
40	40.0	mm	40.000	39.995	40.005	±0.005	PASS		
41	41.0	mm	41.000	40.995	41.005	±0.005	PASS		
42	42.0	mm	42.000	41.995	42.005	±0.005	PASS		
43	43.0	mm	43.000	42.995	43.005	±0.005	PASS		
44	44.0	mm	44.000	43.995	44.005	±0.005	PASS		
45	45.0	mm	45.000	44.995	45.005	±0.005	PASS		
46	46.0	mm	46.000	45.995	46.005	±0.005	PASS		
47	47.0	mm	47.000	46.995	47.005	±0.005	PASS		
48	48.0	mm	48.000	47.995	48.005	±0.005	PASS		
49	49.0	mm	49.000	48.995	49.005	±0.005	PASS		
50	50.0	mm	50.000	49.995	50.005	±0.005	PASS		
51	51.0	mm	51.000	50.995	51.005	±0.005	PASS		
52	52.0	mm	52.000	51.995	52.005	±0.005	PASS		
53	53.0	mm	53.000	52.995	53.005	±0.005	PASS		
54	54.0	mm	54.000	53.995	54.005	±0.005	PASS		
55	55.0	mm	55.000	54.995	55.005	±0.005	PASS		
56	56.0	mm	56.000	55.995	56.005	±0.005	PASS		
57	57.0	mm	57.000	56.995	57.005	±0.005	PASS		
58	58.0	mm	58.000	57.995	58.005	±0.005	PASS		
59	59.0	mm	59.000	58.995	59.005	±0.005	PASS		
60	60.0	mm	60.000	59.995	60.005	±0.005	PASS		
61	61.0	mm	61.000	60.995	61.005	±0.005	PASS		
62	62.0	mm	62.000	61.995	62.005	±0.005	PASS		
63	63.0	mm	63.000	62.995	63.005	±0.005	PASS		
64	64.0	mm	64.000	63.995	64.005	±0.005	PASS		
65	65.0	mm	65.000	64.995	65.005	±0.005	PASS		
66	66.0	mm	66.000	65.995	66.005	±0.005	PASS		
67	67.0	mm	67.000	66.995	67.005	±0.005	PASS		
68	68.0	mm	68.000	67.995	68.005	±0.005	PASS		
69	69.0	mm	69.000	68.995	69.005	±0.005	PASS		
70	70.0	mm	70.000	69.995	70.005	±0.005	PASS		
71	71.0	mm	71.000	70.995	71.005	±0.005	PASS		
72	72.0	mm	72.000	71.995	72.005	±0.005	PASS		
73	73.0	mm	73.000	72.995	73.005	±0.005	PASS		
74	74.0	mm	74.000	73.995	74.005	±0.005	PASS		
75	75.0	mm	75.000	74.995	75.005	±0.005	PASS		
76	76.0	mm	76.000	75.995	76.005	±0.005	PASS		
77	77.0	mm	77.000	76.995	77.005	±0.005	PASS		
78	78.0	mm	78.000	77.995	78.005	±0.005	PASS		
79	79.0	mm	79.000	78.995	79.005	±0.005	PASS		
80	80.0	mm	80.000	79.995	80.005	±0.005	PASS		
81	81.0	mm	81.000	80.995	81.005	±0.005	PASS		
82	82.0	mm	82.000	81.995	82.005	±0.005	PASS		
83	83.0	mm	83.000	82.995	83.005	±0.005	PASS		
84	84.0	mm	84.000	83.995	84.005	±0.005	PASS		
85	85.0	mm	85.000	84.995	85.005	±0.005	PASS		
86	86.0	mm	86.000	85.995	86.005	±0.005	PASS		
87	87.0	mm	87.000	86.995	87.005	±0.005	PASS		
88	88.0	mm	88.000	87.995	88.005	±0.005	PASS		
89	89.0	mm	89.000	88.995	89.005	±0.005	PASS		
90	90.0	mm	90.000	89.995	90.005	±0.005	PASS		
91	91.0	mm	91.000	90.995	91.005	±0.005	PASS		
92	92.0	mm	92.000	91.995	92.005	±0.005	PASS		
93	93.0	mm	93.000	92.995	93.005	±0.005	PASS		
94	94.0	mm	94.000	93.995	94.005	±0.005	PASS		
95	95.0	mm	95.000	94.995	95.005	±0.005	PASS		
96	96.0	mm	96.000	95.995	96.005	±0.005	PASS		
97	97.0	mm	97.000	96.995	97.005	±0.005	PASS		
98	98.0	mm	98.000	97.995	98.005	±0.005	PASS		
99	99.0	mm	99.000	98.995	99.005	±0.005	PASS		
100	100.0	mm	100.000	99.995	100.005	±0.005	PASS		

6. report

[illegible]

□□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□□ □□□□□□ OEM

