

Inspection Report

Report No.: XYL-150730
Supplier : XY-GLOBAL

Inspection Date: 14th Sep, 2015
Inspector: Leo

Inspection only for: PO : XYL-150730 Item No. XY11LM030	Inspection Result: PASS
--	----------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11LM030	14000PCS	1% inspection	0pcs	No failure	14000pcs

Appearance Inspection :
No failure,
Dimension Inspection:
No failure , below measurement report for reference.
Assembly Test:
No failure
Inspection Summary
The inspection sample plan is 100% inspection.

Digital photo records :	
	
1. Packing	2. Product
	
3. Product	4 Product
	
5. Product:	6. Report:

0000000000	0000000000 0000000000 00000000 00000000 0000000000 00000000 0000 0000 000000 0000 00000000 00000000 000000 000000 0000000000 0000 0000 0000 000000 00000000 0000 000000 000000000000 0000 0000 0000
00000000	000000000000 ADC12 A380 000
00000000	00000000 0000 000 00000000
00000000 0000000000	00000000 000000000000 00000000 0000000000 00000000 00000000 00000000 00000000 000000 000 0000 00000000
000	00000000 0000000000 0000 00 000000 0000
00000000 000000	00000000 000 0000 000 0000 000 00000000 0000 000000 00000000 0000000000 00000000 000 000 000 000000 00000000 0000000000 00000000 0000 00000000 000000 000
0000 000000	0000000000 00000000 00000000 000000 gague 0000000000 0000 0000000000 000000 00000000 0000 000000000000 0000 0000000000 00000000 0000000000 0000 0000000000 0000 00000000 000000 0000000000 0000000000 000000 0000000000 00000000 0000000000 000000 000 000000 000
000	0000000000 0000
00000000 / 000000	+/- 0.01MM
000	T / T 50 0 000000 050 00000000 T / T 000000 00 00000000 000.
00000000 0000	00000000 000000 000000000000 00000000 0000 000000 00000000 0000000000 00000000 00000000 00000000 000000 0000 0000000000 00000000 000000 000000 00000000 0000000000 000 00000000 000000 0000
000000	0000000000 00000000000000 0000000000 0000 00000000 0000000000 0000 000000 0000 0000 000000 0000 0000 000000000000 000000000000 00 00000000 00000000000000 0000000000
00000000	000000 000000
000000 0000	20-25 000 0000 T / T 50 00000000 00
0000000000 00000000	000000000000 00000000 0000
1.Name: 000000 0000 0000 00000000000000 00000000 00000000 000000 0000 000000	
2.Process: 000000 00000000 0000000000 00000000 00000000 000000 0000 000000000000	
3.Material: 000000000000 00 ADC12 A380 000	
4.Surface 00000000 00000000 00000000 00000000 00000000 0000000000 000000 00000000 :000000	
5.Tolerance: 0.01 -/+ 000 000 00 0000MM	
6.Quality 00000000 0100 :000000	
7.Specification: OEM 00000000 000000 00 0000 000000	
8. 0000000000 00 000000 30-25 :00000000 000 0000.	
9. 00000000 000000000000 00000000000000 0000 0000 000000000000 000 :000000 accessoried 0000 0000 000 00000000	
10. 0000 000000000000 00000000 0000000000 :0000000000 AUSTRIAL 00000000 0000000000 00000000	
11. 000000: ISO 9001	
0000 000000	
1. 10 00000000 000000 00 00000000 00 0000	
2. 000000 00000000 000000 0000	
3. 00 kinds 00 finishment 00 0000000000 available	
4. 00000000 00000000 000000 0000 000	
5. 0000 00000000 000000 00 00000000	
6. 000000 0000	
7. 00000000 000000 0000 000 0000000000 00 0000 0000 00	
00000000	
0000000000 000000 0000 :00000000 000000 0000 0000 000000000000	
0000000000 00000000 :0000000000 000000 0000 0000 0000 000000000000	
000000 000000 00000 00000 00000000000000: ISO9001	
0000 00000000 00000000 :00000000 000000 0000 0000 000000000000	
000000 0000 0000 00000000000000 OEM 000000 0000 00	

Safety is our serious job for our worker and engineer team

