XY-GLOBAL XY Electronics Technology Co., Ltd

Inspection Report

Report No.: XYKB-140504
Supplier : **XY-GLOBAL**

Inspection Date: 2th- Jun, 2014
Inspector: Leo

Inspection only for:	Inspection Result:
PO . XYKB-140504 Item No. XY72YM001	PASS

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY72YM001	**30000PCS**	1% inspection	0pcs	No failure	30000pcs

Appearance Inspection :
No failure,
Dimension Inspection:
No failure , below measurement report for reference.
Assembly Test:
No failure
Inspection Summary
The inspection sample plan is 100% inspection.

Digital photo records :

1. Packing

2. Product

3. Product

4 Product

5. Product:



6. Dimensions report:

□□□□□□□□□	□□□□ □□□□□ □□□□□□ □□□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□□□□□□ □□□□□□□ □□□□ □□□□ □□□□□ □□□ □□□□□ OEM □□□□ □□□□□ □□□□ □□□□□□□□□□□ □□□□ □□□□ □□□□ □□□□□ □□□□□□□
□□□□□□□	□□□□□□□□□□□ ADC12□ A380 □□□
□□□□□□	□□□□□□ □□□□ □□□□
□□□□□□□□ □□□□□□□□□	□□□□□□ □□□□□□ □□□□□□□□□□□ □□□□□□□ □□□□□□□□ □□□□□□□ □□□□□ □□□□□□□ □□□□□□□ □□□□□ □□□ □□□□
□□□	□□□□□□ □□□□□□□□□ □□□□ □□ □□□□□ □□□□
□□□□□□□□ □□□□□□	CNC □□□□□□ □□□ □□□□ □□□ □□□□□ □□□□□□ □□□ □□□□□□ □□□ □□□□ □□□ □□□□□□□□ □□□□□□ CNC □□□ □□□ □□□
□□□□ □□□□□	□□□□□□□□□ □□□□□□ □□□□□□□ □□□□□ gague□ □□□□□□□□ □□□□□□ □□□□□□□□ □□□□□ □□□□ □□□□□□□□ □□□□□ □□□□□□□ □□□□ □□□□□□□□□□ □□□□ □□□□□□□□ □□□□□□□ □□□□□□□□ □□□□□□□□ □□ □□□□□ □□□□□□□ □□□□ □□□ □□□□□□□ □□□□□□□ □□□□□□□□ □□□□□ □□□□□□□ □□□□□□□
□□□	□□□□□□□ □□□□
□□□□□□□ / □□□□□	+/- 0.01MM
□□□	T / T 50 □ □□□□□ □50 □□□□□□ T / T □□□□□ □□ □□□□□□ □□□.
□□□□□□□ □□□□	CNC □□□□□□□ □□□□□ □□□□□ □□□□□□ □□□□□□□□ □□□□□□□ □□□□□ □□□□□□□□□ □□□□□□□ □□□□ □□□ □□□□□□ □□□□□ □□□□ □□□□□□ □□□□□□□ □□□□□ □□□□ □□□□□□□□□
□□□□□	□□□□□□□□□□□□ □□□□□□□□ □□□□□□□□□□ □□□□□□□□□ □□□□□ □□□□□□□ □□□□□□□□ □□□□ □□□□□ □□□□□□□□ □□□□ □□□ □□□□□ □□□□ □□□□□□□□□□□ □□□□ □□□□□□□□ □□ □□□□□□
□□□□□□□□	□□□□□□ □□□□□
□□□□□□	20-25 □□□ □□□□ T / T 50□ □□□□□□□□ □□
□□□□□□□□□ □□□□□□□□	□□□□□□ □□□□□□□□□□ □□□□
1.Name: □□□□□□ □□□ OEM □□□□□ □□□□ □□□□ □□□□□□□□□□□	
2.Process: □□□□□ □□□□□□ □□□□□□□□ □□□□□□□ □□□□□ □□□□ □□□□□□□□□□□	
3.Material: □□□□□□□□□□□ □□ ADC12□ A380 □□□	
4.Surface □□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□□ □□□□□□□□ □□□□□ □□□□□□ :□□□□□	
5.Tolerance: 0.01 -/+ □□□ □□□ □□ □□□□MM	
6 □□□□□□.Quality: 100□ □□□□□□□	
7.Specification: OEM □□□□□□□□ □□□□□ □□ □□□□ □□□□□	
8. □□□□□□□□ □□ □□□□□ 30-25 :□□□□□□□ □□□ □□□□.	
9. □□□□□□□ □□□□□□□□□ □□□□□□□□□□□ □□□□□ □□□□ □□□□□□□□□□ □□□ :□□□□□□□ accessoried □□□ □□□□□□□□ □□□□ □□□□	
10. □□□□ □□□□□□□□□□ □□□□□□□ □□□□□□□□ :□□□□□□□□ AUSTRIAL□ □□□□□□ □□□□□□□□ □□□□□□□	
11. □□□□□: ISO 9001	
□□□□□ □□□□	
1. 10 □□□□□□ □□□□□ □□ □□□□□□ □□ □□□□	
2. □□□□□ □□□□□□ □□□□□ □□□□	
3. □□ kindls □□ sureface finishment □□ abailable	
4. □□□□□□□ □□□□□□ □□□□□ □□□□	
5. □□□□□□ □□□□□ □□ □□□□□□□ □□□□	
6. □□□□□ □□□□	
7. □□□□□□ □□□□□ □□□□ □□□ □□□□□□□ □□ □□□□ □□□□ □□	
□□□□□□□	
□□□□□□ □ □□□□□ □□□□ □□ :□□□□ □□□□□ □□□□ □□□□ □□□□□□□□□□	
□□□□□□□□ □□□□□□□ □□□□□ :□□□□□□□ □□□□□ □□□□ □□□□ □□□□□□□□□□	
□□□□□ □□□□□ □□□□ □□□□ □□□□□□□□□□: ISO9001	
□□□□□ □□□□ □□□□□□ :□□□□□□ □□□□□ □□□□ □□□□ □□□□□□□□□□	
□□□□□ □□□□ □□ □□□□ □□□□ □□□□□□□□□□ □□□ OEM	