

Inspection Report

Report No.: XYL-150801
Supplier : XY-GLOBAL

Inspection Date: 14th Sep, 2015
Inspector: Leo

Inspection only for: PO . XYZ-150801 Item No. XY11XL044	Inspection Result: PASS
--	----------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11XL044	14000PCS	1% inspection	Opcs	No failure	14000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product

检查报告						
姓名	性别	年龄	科室	日期	医生	报告
张三	男	45	内科	2023-10-27	李医生	正常
血常规检查						
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常
平均红细胞体积 (MCV)	90.000	90.000	0.000	90.000	90.000	正常
平均血小板体积 (MPV)	10.000	10.000	0.000	10.000	10.000	正常
红细胞压积 (HCT)	45.000	45.000	0.000	45.000	45.000	正常
网织红细胞计数 (RET)	0.000	0.000	0.000	0.000	0.000	正常
血小板压积 (PCT)	0.200	0.200	0.000	0.200	0.200	正常
白细胞计数 (WBC)	10.000	10.000	0.000	10.000	10.000	正常
红细胞计数 (RBC)	5.000	5.000	0.000	5.000	5.000	正常
血红蛋白浓度 (Hb)	150.000	150.000	0.000	150.000	150.000	正常
血小板计数 (PLT)	200.000	200.000	0.000	200.000	200.000	正常
白细胞分类计数 (WBC-D)	65.000	65.000	0.000	65.000	65.000	正常
中性粒细胞百分比 (NEUT)	65.000	65.000	0.000	65.000	65.000	正常
淋巴细胞百分比 (LYMPH)	35.000	35.000	0.000	35.000	35.000	正常
单核细胞百分比 (MONO)	0.000	0.000	0.000	0.000	0.000	正常
嗜酸性粒细胞百分比 (EOS)	0.000	0.000	0.000	0.000	0.000	正常
嗜碱性粒细胞百分比 (BASO)	0.000	0.000	0.000	0.000	0.000	正常
红细胞分布宽度 (RDW)	115.000	115.000	0.000	115.000	115.000	正常
血小板分布宽度 (PDW)	10.000	10.000	0.000	10.000	10.000	正常

5. Product:

6. Report:

	OEM
	ADC12A380
	+/-0.01
	5050
	5025
1.	
2.	
3.ADC12A380	
4.	
5. ± 0.01	
6.100	
7.	
8.25-30	
9.	
10.	
11.ISO 9001	
1.10ISO	
2.	
3.	
4.	
5.	
6.	
7.	
ISO9001	
OEM	

High qualified surface treatment can make your parts perfect !!!

