

Inspection Report

Report No.: XYAK-150417

Supplier : XY-GLOBAL

Inspection Date: 20th May, 2015

Inspector: Leo

Inspection only for: PO . XYAK-150417 Item No. XY31AL014	<u>Inspection Result:</u> PASS
--	-----------------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY31AL014	20000PCS	1% inspection	Opes	No failure	20000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

θ	β_{max}	β_{min}	$\beta_{\text{max}}^{\text{new}}$	$\beta_{\text{min}}^{\text{new}}$	$\beta_{\text{max}}^{\text{new}}/\beta_{\text{max}}$	$\beta_{\text{min}}^{\text{new}}/\beta_{\text{min}}$
A						
1	0.0000	0.0000	0.0000	0.0000	NA	NA
2	0.0000	0.0000	0.0000	0.0000	NA	NA
3	0.0000	0.0000	0.0000	0.0000	NA	NA
4	0.0000	0.0000	0.0000	0.0000	NA	NA
5	0.0000	0.0000	0.0000	0.0000	NA	NA
6	0.0000	0.0000	0.0000	0.0000	NA	NA
7	0.0000	0.0000	0.0000	0.0000	NA	NA
8	0.0000	0.0000	0.0000	0.0000	NA	NA
9	0.0000	0.0000	0.0000	0.0000	NA	NA
10	0.0000	0.0000	0.0000	0.0000	NA	NA
11	0.0000	0.0000	0.0000	0.0000	NA	NA
12	0.0000	0.0000	0.0000	0.0000	NA	NA
13	0.0000	0.0000	0.0000	0.0000	NA	NA
14	0.0000	0.0000	0.0000	0.0000	NA	NA
15	0.0000	0.0000	0.0000	0.0000	NA	NA
16	0.0000	0.0000	0.0000	0.0000	NA	NA
17	0.0000	0.0000	0.0000	0.0000	NA	NA
18	0.0000	0.0000	0.0000	0.0000	NA	NA
19	0.0000	0.0000	0.0000	0.0000	NA	NA
20	0.0000	0.0000	0.0000	0.0000	NA	NA
21	0.0000	0.0000	0.0000	0.0000	NA	NA
22	0.0000	0.0000	0.0000	0.0000	NA	NA
23	0.0000	0.0000	0.0000	0.0000	NA	NA
24	0.0000	0.0000	0.0000	0.0000	NA	NA
25	0.0000	0.0000	0.0000	0.0000	NA	NA
26	0.0000	0.0000	0.0000	0.0000	NA	NA
27	0.0000	0.0000	0.0000	0.0000	NA	NA
28	0.0000	0.0000	0.0000	0.0000	NA	NA
29	0.0000	0.0000	0.0000	0.0000	NA	NA
30	0.0000	0.0000	0.0000	0.0000	NA	NA
31	0.0000	0.0000	0.0000	0.0000	NA	NA
32	0.0000	0.0000	0.0000	0.0000	NA	NA
33	0.0000	0.0000	0.0000	0.0000	NA	NA
34	0.0000	0.0000	0.0000	0.0000	NA	NA
35	0.0000	0.0000	0.0000	0.0000	NA	NA
36	0.0000	0.0000	0.0000	0.0000	NA	NA
37	0.0000	0.0000	0.0000	0.0000	NA	NA
38	0.0000	0.0000	0.0000	0.0000	NA	NA
39	0.0000	0.0000	0.0000	0.0000	NA	NA
40	0.0000	0.0000	0.0000	0.0000	NA	NA
41	0.0000	0.0000	0.0000	0.0000	NA	NA
42	0.0000	0.0000	0.0000	0.0000	NA	NA
43	0.0000	0.0000	0.0000	0.0000	NA	NA
44	0.0000	0.0000	0.0000	0.0000	NA	NA
45	0.0000	0.0000	0.0000	0.0000	NA	NA
46	0.0000	0.0000	0.0000	0.0000	NA	NA
47	0.0000	0.0000	0.0000	0.0000	NA	NA
48	0.0000	0.0000	0.0000	0.0000	NA	NA
49	0.0000	0.0000	0.0000	0.0000	NA	NA
50	0.0000	0.0000	0.0000	0.0000	NA	NA
51	0.0000	0.0000	0.0000	0.0000	NA	NA
52	0.0000	0.0000	0.0000	0.0000	NA	NA
53	0.0000	0.0000	0.0000	0.0000	NA	NA
54	0.0000	0.0000	0.0000	0.0000	NA	NA
55	0.0000	0.0000	0.0000	0.0000	NA	NA
56	0.0000	0.0000	0.0000	0.0000	NA	NA
57	0.0000	0.0000	0.0000	0.0000	NA	NA
58	0.0000	0.0000	0.0000	0.0000	NA	NA
59	0.0000	0.0000	0.0000	0.0000	NA	NA
60	0.0000	0.0000	0.0000	0.0000	NA	NA
61	0.0000	0.0000	0.0000	0.0000	NA	NA
62	0.0000	0.0000	0.0000	0.0000	NA	NA
63	0.0000	0.0000	0.0000	0.0000	NA	NA
64	0.0000	0.0000	0.0000	0.0000	NA	NA
65	0.0000	0.0000	0.0000	0.0000	NA	NA
66	0.0000	0.0000	0.0000	0.0000	NA	NA
67	0.0000	0.0000	0.0000	0.0000	NA	NA
68	0.0000	0.0000	0.0000	0.0000	NA	NA
69	0.0000	0.0000	0.0000	0.0000	NA	NA
70	0.0000	0.0000	0.0000	0.0000	NA	NA
71	0.0000	0.0000	0.0000	0.0000	NA	NA
72	0.0000	0.0000	0.0000	0.0000	NA	NA
73	0.0000	0.0000	0.0000	0.0000	NA	NA
74	0.0000	0.0000	0.0000	0.0000	NA	NA
75	0.0000	0.0000	0.0000	0.0000	NA	NA
76	0.0000	0.0000	0.0000	0.0000	NA	NA
77	0.0000	0.0000	0.0000	0.0000	NA	NA
78	0.0000	0.0000	0.0000	0.0000	NA	NA
79	0.0000	0.0000	0.0000	0.0000	NA	NA
80	0.0000	0.0000	0.0000	0.0000	NA	NA
81	0.0000	0.0000	0.0000	0.0000	NA	NA
82	0.0000	0.0000	0.0000	0.0000	NA	NA
83	0.0000	0.0000	0.0000	0.0000	NA	NA
84	0.0000	0.0000	0.0000	0.0000	NA	NA
85	0.0000	0.0000	0.0000	0.0000	NA	NA
86	0.0000	0.0000	0.0000	0.0000	NA	NA
87	0.0000	0.0000	0.0000	0.0000	NA	NA
88	0.0000	0.0000	0.0000	0.0000	NA	NA
89	0.0000	0.0000	0.0000	0.0000	NA	NA
90	0.0000	0.0000	0.0000	0.0000	NA	NA
91	0.0000	0.0000	0.0000	0.0000	NA	NA
92	0.0000	0.0000	0.0000	0.0000	NA	NA
93	0.0000	0.0000	0.0000	0.0000	NA	NA
94	0.0000	0.0000	0.0000	0.0000	NA	NA
95	0.0000	0.0000	0.0000	0.0000	NA	NA
96	0.0000	0.0000	0.0000	0.0000	NA	NA
97	0.0000	0.0000	0.0000	0.0000	NA	NA
98	0.0000	0.0000	0.0000	0.0000	NA	NA
99	0.0000	0.0000	0.0000	0.0000	NA	NA
100	0.0000	0.0000	0.0000	0.0000	NA	NA

6. report

[illegible]

Safety is our serious job for our worker and engineer team

