

Inspection Report

Report No.: XYLA-150304
Supplier : XY-GLOBAL

Inspection Date: 10th Apr, 2015
Inspector: Leo

Inspection only for:	Inspection Result:
PO . XYLA-150304 Item No. XY31PC003	PASS

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY31PC003	20000PCS	1% inspection	0pcs	No failure	20000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

XY31PC003									
Item	Spec	Unit	Value	Unit	Value	Unit	Value	Unit	Value
1	Length	mm	20.00	mm	20.00	mm	20.00	mm	20.00
2	Width	mm	10.00	mm	10.00	mm	10.00	mm	10.00
3	Height	mm	5.00	mm	5.00	mm	5.00	mm	5.00
4	Weight	g	0.50	g	0.50	g	0.50	g	0.50
5	Material		PC		PC		PC		PC
6	Color		Black		Black		Black		Black
7	Surface Finish		Matte		Matte		Matte		Matte
8	RoHS		Compliant		Compliant		Compliant		Compliant
9	UL		Compliant		Compliant		Compliant		Compliant
10	REACH		Compliant		Compliant		Compliant		Compliant
11	CE		Compliant		Compliant		Compliant		Compliant
12	FCC		Compliant		Compliant		Compliant		Compliant
13	EMC		Compliant		Compliant		Compliant		Compliant
14	Safety		Compliant		Compliant		Compliant		Compliant
15	Reliability		Compliant		Compliant		Compliant		Compliant
16	Performance		Compliant		Compliant		Compliant		Compliant
17	Temperature		Compliant		Compliant		Compliant		Compliant
18	Humidity		Compliant		Compliant		Compliant		Compliant
19	Vibration		Compliant		Compliant		Compliant		Compliant
20	Shock		Compliant		Compliant		Compliant		Compliant
21	Drop		Compliant		Compliant		Compliant		Compliant
22	Impact		Compliant		Compliant		Compliant		Compliant
23	Compression		Compliant		Compliant		Compliant		Compliant
24	Tension		Compliant		Compliant		Compliant		Compliant
25	Bending		Compliant		Compliant		Compliant		Compliant
26	Torsion		Compliant		Compliant		Compliant		Compliant
27	Twisting		Compliant		Compliant		Compliant		Compliant
28	Stretching		Compliant		Compliant		Compliant		Compliant
29	Compression		Compliant		Compliant		Compliant		Compliant
30	Tension		Compliant		Compliant		Compliant		Compliant
31	Bending		Compliant		Compliant		Compliant		Compliant
32	Torsion		Compliant		Compliant		Compliant		Compliant
33	Twisting		Compliant		Compliant		Compliant		Compliant
34	Stretching		Compliant		Compliant		Compliant		Compliant
35	Compression		Compliant		Compliant		Compliant		Compliant
36	Tension		Compliant		Compliant		Compliant		Compliant
37	Bending		Compliant		Compliant		Compliant		Compliant
38	Torsion		Compliant		Compliant		Compliant		Compliant
39	Twisting		Compliant		Compliant		Compliant		Compliant
40	Stretching		Compliant		Compliant		Compliant		Compliant
41	Compression		Compliant		Compliant		Compliant		Compliant
42	Tension		Compliant		Compliant		Compliant		Compliant
43	Bending		Compliant		Compliant		Compliant		Compliant
44	Torsion		Compliant		Compliant		Compliant		Compliant
45	Twisting		Compliant		Compliant		Compliant		Compliant
46	Stretching		Compliant		Compliant		Compliant		Compliant
47	Compression		Compliant		Compliant		Compliant		Compliant
48	Tension		Compliant		Compliant		Compliant		Compliant
49	Bending		Compliant		Compliant		Compliant		Compliant
50	Torsion		Compliant		Compliant		Compliant		Compliant
51	Twisting		Compliant		Compliant		Compliant		Compliant
52	Stretching		Compliant		Compliant		Compliant		Compliant
53	Compression		Compliant		Compliant		Compliant		Compliant
54	Tension		Compliant		Compliant		Compliant		Compliant
55	Bending		Compliant		Compliant		Compliant		Compliant
56	Torsion		Compliant		Compliant		Compliant		Compliant
57	Twisting		Compliant		Compliant		Compliant		Compliant
58	Stretching		Compliant		Compliant		Compliant		Compliant
59	Compression		Compliant		Compliant		Compliant		Compliant
60	Tension		Compliant		Compliant		Compliant		Compliant
61	Bending		Compliant		Compliant		Compliant		Compliant
62	Torsion		Compliant		Compliant		Compliant		Compliant
63	Twisting		Compliant		Compliant		Compliant		Compliant
64	Stretching		Compliant		Compliant		Compliant		Compliant
65	Compression		Compliant		Compliant		Compliant		Compliant
66	Tension		Compliant		Compliant		Compliant		Compliant
67	Bending		Compliant		Compliant		Compliant		Compliant
68	Torsion		Compliant		Compliant		Compliant		Compliant
69	Twisting		Compliant		Compliant		Compliant		Compliant
70	Stretching		Compliant		Compliant		Compliant		Compliant
71	Compression		Compliant		Compliant		Compliant		Compliant
72	Tension		Compliant		Compliant		Compliant		Compliant
73	Bending		Compliant		Compliant		Compliant		Compliant
74	Torsion		Compliant		Compliant		Compliant		Compliant
75	Twisting		Compliant		Compliant		Compliant		Compliant
76	Stretching		Compliant		Compliant		Compliant		Compliant
77	Compression		Compliant		Compliant		Compliant		Compliant
78	Tension		Compliant		Compliant		Compliant		Compliant
79	Bending		Compliant		Compliant		Compliant		Compliant
80	Torsion		Compliant		Compliant		Compliant		Compliant
81	Twisting		Compliant		Compliant		Compliant		Compliant
82	Stretching		Compliant		Compliant		Compliant		Compliant
83	Compression		Compliant		Compliant		Compliant		Compliant
84	Tension		Compliant		Compliant		Compliant		Compliant
85	Bending		Compliant		Compliant		Compliant		Compliant
86	Torsion		Compliant		Compliant		Compliant		Compliant
87	Twisting		Compliant		Compliant		Compliant		Compliant
88	Stretching		Compliant		Compliant		Compliant		Compliant
89	Compression		Compliant		Compliant		Compliant		Compliant
90	Tension		Compliant		Compliant		Compliant		Compliant
91	Bending		Compliant		Compliant		Compliant		Compliant
92	Torsion		Compliant		Compliant		Compliant		Compliant
93	Twisting		Compliant		Compliant		Compliant		Compliant
94	Stretching		Compliant		Compliant		Compliant		Compliant
95	Compression		Compliant		Compliant		Compliant		Compliant
96	Tension		Compliant		Compliant		Compliant		Compliant
97	Bending		Compliant		Compliant		Compliant		Compliant
98	Torsion		Compliant		Compliant		Compliant		Compliant
99	Twisting		Compliant		Compliant		Compliant		Compliant
100	Stretching		Compliant		Compliant		Compliant		Compliant

6. report

productos	CNC de precisión mecanizada fábrica de partes, piezas mecanizadas CNC distribuidor, mecanizado de precisión fabricante de piezas, proveedor de precisión de mecanizado CNC, mecanizado CNC parte, CNC Procesamiento Torno CNC torneado de piezas, partes de Turing CNC
materiales	Aluminio AL6061 AL6065, AL6063, AL7075, SUS304, SUS303, SUS316, POM, etc.
Dimensiones	Conforme con el dibujo del cliente
Tratamiento de superficies	Calor tratamiento, pulido, recubrimiento, galvanizado, galvanoplastia, pulverización, y la pintura, etc.
Embalaje	De madera caja, o según los requisitos del cliente
equipos de procesamiento	CNC centro de mecanizado, fresadora, piezas de la máquina de fresado, perforación de la máquina partes, fresadora horizontal, máquina de biselado, máquina de corte CNC etcétera
equipos de medida	Dureza probador, precisión enchufe gague, bloque calibrador, micrómetro exterior digital, micrómetro exterior, calibrador digital, micrómetro interior, en el interior de línea indicador, marque el pie de rey, indicador de cuadrante, calibre vernier profundidad y por lo en
MOQ	negociable
Precisión / Tolerancia	+/- 0,01 mm
Pago	T / T depósito del 50% por adelantado, el 50% T / T antes del envío; u otros.
Alcance del negocio	CNC Centro de mecanizado, mecanizado CNC, CNC de taladrado, torneado CNC, molienda, tapping, diseño de moldes y de procesamiento, fundición, la hoja de trabajo mental, etc.
Solicitud	Automatización máquina, dispositivo médico, máquinas industriales, automóviles, aparatos eléctricos, y otras industrias, piezas de mecanizado CNC, piezas de automóviles
puertos	Shenzhen China
Entrega	20-25 días después de T / T el 50%
equipos principales	CNC centro de máquina
1.Name: precio de fábrica OEM CNC mecanizado de piezas	
2.Process: aluminio de fundición a presión, mecanizado CNC	
3.material: AL6061 AL6065, AL6063, AL7075 POM, etc.	
4.Surface: pulido, recubrimiento en polvo, anodizado, níquel chapado, cromato etc.	
5.Tolerance: puede llegar a +/- 0,01 mm	
Control 6.Quality: 100% examinados	
7.Specification: OEM Serice, estrictamente por el dibujo y muestras	
8. Muestra el tiempo de entrega: 25-30 días, por productos.	
9. Aplicación: piezas de mecanizado CNC, accesorios de minería, accessoried maquinaria, piezas de automóviles, industriales, etc.	
10. Cliente: EE.UU., Canadá, Austrial, UE, etc.	
11. Certificación: ISO 9001	
nuestra ventaja	
1. 10 años de experiencia con la certificación ISO	
2. Todo tipo de material está disponible	
3. Todos los kindls de ACABAMIENTO sureface es available	
4. Alta calidad con precio competitivo	
5. Plazo de expedición rápido	
6. Muestra disponible	
7. Contar con experiencia de exportación a todo el mundo	
Nuestros servicios	
CNC muestra de mecanizado de piezas: Puede suministrar para la prueba	
de mecanizado CNC piezas de embalaje: Embalaje estándar	
mecanizado de piezas CNC certificación: ISO9001	
CNC de mecanizado de piezas de calidad: El control de calidad	
CNC de mecanizado de piezas OEM es bienvenida	

Safety is our serious job for our worker and engineer team

