

Inspection Report

Report No.: XYSL-150623
Supplier : XY-GLOBAL

Inspection Date: 25th July, 2015
Inspector: Leo

Inspection only for: PO : XYSL-150623 Item No. XY31XL021	<u>Inspection Result:</u> PASS
---	-----------------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY31XL021	10000PCS	1% inspection	0pcs	No failure	10000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

pocdmis		400.01.108		C.M.M. 2015	
NO	ITEM	UNIT	VALUE	UNIT	VALUE
1	400.01.108	mm	400.01.108	mm	400.01.108
2	400.01.108	mm	400.01.108	mm	400.01.108
3	400.01.108	mm	400.01.108	mm	400.01.108
4	400.01.108	mm	400.01.108	mm	400.01.108
5	400.01.108	mm	400.01.108	mm	400.01.108
6	400.01.108	mm	400.01.108	mm	400.01.108
7	400.01.108	mm	400.01.108	mm	400.01.108
8	400.01.108	mm	400.01.108	mm	400.01.108
9	400.01.108	mm	400.01.108	mm	400.01.108
10	400.01.108	mm	400.01.108	mm	400.01.108
11	400.01.108	mm	400.01.108	mm	400.01.108
12	400.01.108	mm	400.01.108	mm	400.01.108
13	400.01.108	mm	400.01.108	mm	400.01.108
14	400.01.108	mm	400.01.108	mm	400.01.108
15	400.01.108	mm	400.01.108	mm	400.01.108
16	400.01.108	mm	400.01.108	mm	400.01.108
17	400.01.108	mm	400.01.108	mm	400.01.108
18	400.01.108	mm	400.01.108	mm	400.01.108
19	400.01.108	mm	400.01.108	mm	400.01.108
20	400.01.108	mm	400.01.108	mm	400.01.108
21	400.01.108	mm	400.01.108	mm	400.01.108
22	400.01.108	mm	400.01.108	mm	400.01.108
23	400.01.108	mm	400.01.108	mm	400.01.108
24	400.01.108	mm	400.01.108	mm	400.01.108
25	400.01.108	mm	400.01.108	mm	400.01.108
26	400.01.108	mm	400.01.108	mm	400.01.108
27	400.01.108	mm	400.01.108	mm	400.01.108
28	400.01.108	mm	400.01.108	mm	400.01.108
29	400.01.108	mm	400.01.108	mm	400.01.108
30	400.01.108	mm	400.01.108	mm	400.01.108
31	400.01.108	mm	400.01.108	mm	400.01.108
32	400.01.108	mm	400.01.108	mm	400.01.108
33	400.01.108	mm	400.01.108	mm	400.01.108
34	400.01.108	mm	400.01.108	mm	400.01.108
35	400.01.108	mm	400.01.108	mm	400.01.108
36	400.01.108	mm	400.01.108	mm	400.01.108
37	400.01.108	mm	400.01.108	mm	400.01.108
38	400.01.108	mm	400.01.108	mm	400.01.108
39	400.01.108	mm	400.01.108	mm	400.01.108
40	400.01.108	mm	400.01.108	mm	400.01.108
41	400.01.108	mm	400.01.108	mm	400.01.108
42	400.01.108	mm	400.01.108	mm	400.01.108
43	400.01.108	mm	400.01.108	mm	400.01.108
44	400.01.108	mm	400.01.108	mm	400.01.108
45	400.01.108	mm	400.01.108	mm	400.01.108
46	400.01.108	mm	400.01.108	mm	400.01.108
47	400.01.108	mm	400.01.108	mm	400.01.108
48	400.01.108	mm	400.01.108	mm	400.01.108
49	400.01.108	mm	400.01.108	mm	400.01.108
50	400.01.108	mm	400.01.108	mm	400.01.108
51	400.01.108	mm	400.01.108	mm	400.01.108
52	400.01.108	mm	400.01.108	mm	400.01.108
53	400.01.108	mm	400.01.108	mm	400.01.108
54	400.01.108	mm	400.01.108	mm	400.01.108
55	400.01.108	mm	400.01.108	mm	400.01.108
56	400.01.108	mm	400.01.108	mm	400.01.108
57	400.01.108	mm	400.01.108	mm	400.01.108
58	400.01.108	mm	400.01.108	mm	400.01.108
59	400.01.108	mm	400.01.108	mm	400.01.108
60	400.01.108	mm	400.01.108	mm	400.01.108
61	400.01.108	mm	400.01.108	mm	400.01.108
62	400.01.108	mm	400.01.108	mm	400.01.108
63	400.01.108	mm	400.01.108	mm	400.01.108
64	400.01.108	mm	400.01.108	mm	400.01.108
65	400.01.108	mm	400.01.108	mm	400.01.108
66	400.01.108	mm	400.01.108	mm	400.01.108
67	400.01.108	mm	400.01.108	mm	400.01.108
68	400.01.108	mm	400.01.108	mm	400.01.108
69	400.01.108	mm	400.01.108	mm	400.01.108
70	400.01.108	mm	400.01.108	mm	400.01.108
71	400.01.108	mm	400.01.108	mm	400.01.108
72	400.01.108	mm	400.01.108	mm	400.01.108
73	400.01.108	mm	400.01.108	mm	400.01.108
74	400.01.108	mm	400.01.108	mm	400.01.108
75	400.01.108	mm	400.01.108	mm	400.01.108
76	400.01.108	mm	400.01.108	mm	400.01.108
77	400.01.108	mm	400.01.108	mm	400.01.108
78	400.01.108	mm	400.01.108	mm	400.01.108
79	400.01.108	mm	400.01.108	mm	400.01.108
80	400.01.108	mm	400.01.108	mm	400.01.108
81	400.01.108	mm	400.01.108	mm	400.01.108
82	400.01.108	mm	400.01.108	mm	400.01.108
83	400.01.108	mm	400.01.108	mm	400.01.108
84	400.01.108	mm	400.01.108	mm	400.01.108
85	400.01.108	mm	400.01.108	mm	400.01.108
86	400.01.108	mm	400.01.108	mm	400.01.108
87	400.01.108	mm	400.01.108	mm	400.01.108
88	400.01.108	mm	400.01.108	mm	400.01.108
89	400.01.108	mm	400.01.108	mm	400.01.108
90	400.01.108	mm	400.01.108	mm	400.01.108
91	400.01.108	mm	400.01.108	mm	400.01.108
92	400.01.108	mm	400.01.108	mm	400.01.108
93	400.01.108	mm	400.01.108	mm	400.01.108
94	400.01.108	mm	400.01.108	mm	400.01.108
95	400.01.108	mm	400.01.108	mm	400.01.108
96	400.01.108	mm	400.01.108	mm	400.01.108
97	400.01.108	mm	400.01.108	mm	400.01.108
98	400.01.108	mm	400.01.108	mm	400.01.108
99	400.01.108	mm	400.01.108	mm	400.01.108
100	400.01.108	mm	400.01.108	mm	400.01.108

6. report

Products	cnc precision machined parts factory,cnc machined parts distributor,precision machining parts manufacturer,precision cnc machining supplier,CNC Machining part,CNC Lathe Processing,CNC Turning Part,CNC turing parts
Materials	Aluminum AL6061 AL6065,AL6063 ,AL7075, SUS304,SUS303,SUS316,POM etc
Dimensions	According to customer's drawing
Surface treatment	Heat treatment, polishing, coating, galvanized, electroplating, spraying, and painting and so on
Packing	Wooden box, or as per the customer's requirements
Processing equipments	CNC machining center, grinding machine, milling machine parts, drilling machine parts, horizontal milling machine, chamfering machine, CNC cutting machine etc.
Measure equipment	Hardness tester, precision plug gauge, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on
MOQ	negotiable
Precision/Tolerance	+/-0.01mm
Payment	T/T 50% deposit in advance ,50% T/T before shipment ;or others.
Business scope	CNC center machining, cnc machining, cnc drilling, cnc turning, grinding, tapping, mould design and processing, casting, sheet metal working etc
Application	Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, cnc machining parts, auto parts
Ports	Shenzhen China
Delivery	20-25 days after T/T 50% deposit
Main equipments	cnc machine center
1.Name: Factory Price OEM cnc machining parts	
2.Process: Aluminum die casting, cnc machining	
3.Material: AL6061 AL6065,AL6063 ,AL7075 POM etc	
4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc	
5.Tolerance: can reach to +/-0.01mm	
6.Quality control: 100% inspected	
7.Specification: OEM serice, strictly per drawing and samples	
8. Sample delivery time: 25-30 days, per products.	
9. Application: cnc machining parts,mining accessories, machinery accessoried, industrial, auto parts,etc	
10. Customer: USA,Canada, Austrial, EU etc.	
11. Certification: ISO 9001	
Our Advantage	
1. 10 years experience with ISO certified	
2. All kinds of material is available	
3. All kindls of sureface finishment is available	
4. High quality with competitive price	
5. Fast delivery time	
6. Sample available	
7. Have export experience to all over the world	
Our Services	
CNC machining parts sample: Can supply for test	
CNC machining parts packing: Standard packing	
CNC machining parts certification: ISO9001	
CNC machining parts quality: Strictly quality control	
CNC machining parts OEM is welcomed	

Safety is our serious job for our worker and engineer team

