

Inspection Report

Report No.: XYSK-140512
Supplier : XY-GLOBAL

Inspection Date: 15th Jun, 2014
Inspector: Leo

Inspection only for:	Inspection Result:
PO . XYSK-140512 Item No. XY11WD014	PASS

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11WD014	12000PCS	1% inspection	0pcs	No failure	12000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing

2. Product



3. Product

4 Product



XY11WD014									
Item	Spec	Actual	Unit	Min	Max	Min	Max	Min	Max
1	20.00	20.00	mm	19.95	20.05	20.00	20.00	20.00	20.00
2	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
3	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
4	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
5	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
6	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
7	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
8	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
9	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
10	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
11	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
12	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
13	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
14	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
15	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
16	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
17	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
18	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
19	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
20	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
21	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
22	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
23	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
24	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
25	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
26	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
27	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
28	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
29	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
30	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
31	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
32	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
33	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
34	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
35	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
36	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
37	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
38	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
39	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
40	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
41	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
42	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
43	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
44	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
45	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
46	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
47	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
48	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
49	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
50	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
51	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
52	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
53	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
54	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
55	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
56	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
57	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
58	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
59	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
60	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
61	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
62	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
63	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
64	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
65	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
66	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
67	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
68	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
69	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
70	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
71	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
72	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
73	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
74	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
75	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
76	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
77	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
78	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
79	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
80	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
81	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
82	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
83	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
84	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
85	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
86	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
87	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
88	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
89	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
90	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
91	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
92	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
93	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
94	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
95	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
96	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
97	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
98	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
99	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00
100	10.00	10.00	mm	9.95	10.05	10.00	10.00	10.00	10.00

5. Product:

6. Dimensions report

Part Name	Part Name: ADC12/A380
Material	Material: ADC12/A380
Surface	Surface: nickel
Tolerance	Tolerance: +/- 0.01
MOQ	MOQ: 1000
Lead Time	Lead Time: 20-25 T / T 50
Payment	Payment: T / T 50
Quality	Quality: ISO 9001
Price	Price: 1000
Service	Service: OEM
Address	Address: 1000
Phone	Phone: 1000
Email	Email: 1000
Website	Website: 1000
Company	Company: 1000
Country	Country: 1000
City	City: 1000
State	State: 1000
Zip	Zip: 1000
Part Name	Part Name: ADC12/A380
Material	Material: ADC12/A380
Surface	Surface: nickel
Tolerance	Tolerance: +/- 0.01
MOQ	MOQ: 1000
Lead Time	Lead Time: 20-25 T / T 50
Payment	Payment: T / T 50
Quality	Quality: ISO 9001
Price	Price: 1000
Service	Service: OEM
Address	Address: 1000
Phone	Phone: 1000
Email	Email: 1000
Website	Website: 1000
Company	Company: 1000
Country	Country: 1000
City	City: 1000
State	State: 1000
Zip	Zip: 1000