

Inspection Report

Report No.: XYSK-140509

Supplier : XY-GLOBAL

Inspection Date: 14th Jun, 2014

Inspector: Leo

Inspection only for:	Inspection Result:
PO : XYSK-140509 Item No. XY11WD012	PASS

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11WD012	18000PCS	1% inspection	0pcs	No failure	18000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

XY11WD012									
Item	Spec	Unit	Min	Max	Min	Max	Min	Max	Min
1	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
2	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
3	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
4	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
5	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
6	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
7	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
8	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
9	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
10	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
11	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
12	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
13	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
14	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
15	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
16	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
17	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
18	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
19	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
20	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
21	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
22	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
23	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
24	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
25	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
26	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
27	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
28	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
29	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
30	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
31	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
32	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
33	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
34	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
35	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
36	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
37	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
38	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
39	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
40	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
41	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
42	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
43	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
44	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
45	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
46	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
47	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
48	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
49	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
50	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
51	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
52	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
53	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
54	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
55	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
56	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
57	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
58	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
59	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
60	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
61	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
62	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
63	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
64	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
65	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
66	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
67	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
68	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
69	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
70	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
71	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
72	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
73	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
74	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
75	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
76	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
77	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
78	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
79	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
80	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
81	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
82	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
83	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
84	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
85	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
86	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
87	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
88	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
89	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
90	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
91	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
92	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
93	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
94	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
95	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
96	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
97	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
98	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
99	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00
100	Ø11.0	mm	10.95	11.05	11.00	11.00	11.00	11.00	11.00

6. Dimensions report

Part Name	Part Name: ADC12/A380
Material	Material: ADC12/A380
Surface	Surface: nickel
Tolerance	Tolerance: +/- 0.01
MOQ	MOQ: 1000
Lead Time	Lead Time: 20-25 days
Payment	Payment: T/T 50% in advance, 50% before delivery
1.Name	1.Name: OEM
2.Process	2.Process: CNC
3.Material	3.Material: ADC12/A380
4.Surface	4.Surface: nickel
5.Tolerance	5.Tolerance: +/- 0.01
6	6: 1000
7.Specification	7.Specification: OEM
8	8: 25/30
9	9: accessoried
10	10: Austrial/EU
11	11: ISO 9001
ISO	ISO 1.10
2	2: 1000
3	3: sureface/finishment
4	4: 1000
5	5: 1000
6	6: 1000
7	7: 1000
8	8: 1000
9	9: 1000
10	10: 1000
11	11: 1000
OEM	OEM