

Inspection Report

Report No.: XYSL-150613
Supplier : XY-GLOBAL

Inspection Date: 18th July, 2015
Inspector: Leo

Inspection only for: PO : XYSL-150613 Item No. XY31XL011	Inspection Result: PASS
---	----------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY31XL011	8000PCS	1% inspection	0pcs	No failure	8000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

pocdmis		4000-01-100	1.0.0.0.0.0	0.0.0.0.0
1	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
2	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
3	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
4	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
5	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
6	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
7	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
8	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
9	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
10	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
11	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
12	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
13	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
14	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
15	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
16	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
17	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
18	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
19	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
20	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
21	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
22	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
23	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
24	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
25	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
26	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
27	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
28	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
29	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
30	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
31	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
32	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
33	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
34	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
35	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
36	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
37	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
38	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
39	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
40	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
41	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
42	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
43	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
44	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
45	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
46	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
47	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
48	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
49	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
50	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
51	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
52	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
53	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
54	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
55	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
56	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
57	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
58	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
59	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
60	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
61	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
62	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
63	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
64	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
65	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
66	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
67	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
68	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
69	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
70	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
71	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
72	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
73	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
74	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
75	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
76	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
77	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
78	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
79	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
80	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
81	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
82	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
83	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
84	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
85	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
86	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
87	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
88	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
89	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
90	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
91	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
92	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
93	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
94	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
95	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
96	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
97	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
98	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
99	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0
100	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0	1.0.0.0.0.0

6. report

[illegible]

Safety is our serious job for our worker and engineer team

