

Inspection Report

Report No.: XYSK-140521
Supplier : XY-GLOBAL

Inspection Date: 20th Jun, 2014
Inspector: Leo

Inspection only for:	Inspection Result:
PO : XYSK-140521 Item No. XY11WD020	PASS

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11WD020	1200PCS	1% inspection	0pcs	No failure	1200pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing

2. Product



3. Product

4 Product



XY11WD020									
Item	Spec	Unit	Min	Max	Min	Max	Min	Max	Min
1	20.00	mm	19.50	20.50	20.00	20.50	20.00	20.50	20.00
2	10.00	mm	9.50	10.50	10.00	10.50	10.00	10.50	10.00
3	5.00	mm	4.50	5.50	5.00	5.50	5.00	5.50	5.00
4	2.00	mm	1.50	2.50	2.00	2.50	2.00	2.50	2.00
5	1.00	mm	0.50	1.50	1.00	1.50	1.00	1.50	1.00
6	0.50	mm	0.00	0.50	0.50	0.50	0.50	0.50	0.50
7	0.20	mm	0.00	0.20	0.20	0.20	0.20	0.20	0.20
8	0.10	mm	0.00	0.10	0.10	0.10	0.10	0.10	0.10
9	0.05	mm	0.00	0.05	0.05	0.05	0.05	0.05	0.05
10	0.02	mm	0.00	0.02	0.02	0.02	0.02	0.02	0.02
11	0.01	mm	0.00	0.01	0.01	0.01	0.01	0.01	0.01
12	0.005	mm	0.00	0.005	0.005	0.005	0.005	0.005	0.005
13	0.002	mm	0.00	0.002	0.002	0.002	0.002	0.002	0.002
14	0.001	mm	0.00	0.001	0.001	0.001	0.001	0.001	0.001
15	0.0005	mm	0.00	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005
16	0.0002	mm	0.00	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
17	0.0001	mm	0.00	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
18	0.00005	mm	0.00	0.00005	0.00005	0.00005	0.00005	0.00005	0.00005
19	0.00002	mm	0.00	0.00002	0.00002	0.00002	0.00002	0.00002	0.00002
20	0.00001	mm	0.00	0.00001	0.00001	0.00001	0.00001	0.00001	0.00001
21	0.000005	mm	0.00	0.000005	0.000005	0.000005	0.000005	0.000005	0.000005
22	0.000002	mm	0.00	0.000002	0.000002	0.000002	0.000002	0.000002	0.000002
23	0.000001	mm	0.00	0.000001	0.000001	0.000001	0.000001	0.000001	0.000001
24	0.0000005	mm	0.00	0.0000005	0.0000005	0.0000005	0.0000005	0.0000005	0.0000005
25	0.0000002	mm	0.00	0.0000002	0.0000002	0.0000002	0.0000002	0.0000002	0.0000002
26	0.0000001	mm	0.00	0.0000001	0.0000001	0.0000001	0.0000001	0.0000001	0.0000001
27	0.00000005	mm	0.00	0.00000005	0.00000005	0.00000005	0.00000005	0.00000005	0.00000005
28	0.00000002	mm	0.00	0.00000002	0.00000002	0.00000002	0.00000002	0.00000002	0.00000002
29	0.00000001	mm	0.00	0.00000001	0.00000001	0.00000001	0.00000001	0.00000001	0.00000001
30	0.000000005	mm	0.00	0.000000005	0.000000005	0.000000005	0.000000005	0.000000005	0.000000005
31	0.000000002	mm	0.00	0.000000002	0.000000002	0.000000002	0.000000002	0.000000002	0.000000002
32	0.000000001	mm	0.00	0.000000001	0.000000001	0.000000001	0.000000001	0.000000001	0.000000001
33	0.0000000005	mm	0.00	0.0000000005	0.0000000005	0.0000000005	0.0000000005	0.0000000005	0.0000000005
34	0.0000000002	mm	0.00	0.0000000002	0.0000000002	0.0000000002	0.0000000002	0.0000000002	0.0000000002
35	0.0000000001	mm	0.00	0.0000000001	0.0000000001	0.0000000001	0.0000000001	0.0000000001	0.0000000001
36	0.00000000005	mm	0.00	0.00000000005	0.00000000005	0.00000000005	0.00000000005	0.00000000005	0.00000000005
37	0.00000000002	mm	0.00	0.00000000002	0.00000000002	0.00000000002	0.00000000002	0.00000000002	0.00000000002
38	0.00000000001	mm	0.00	0.00000000001	0.00000000001	0.00000000001	0.00000000001	0.00000000001	0.00000000001
39	0.000000000005	mm	0.00	0.000000000005	0.000000000005	0.000000000005	0.000000000005	0.000000000005	0.000000000005
40	0.000000000002	mm	0.00	0.000000000002	0.000000000002	0.000000000002	0.000000000002	0.000000000002	0.000000000002
41	0.000000000001	mm	0.00	0.000000000001	0.000000000001	0.000000000001	0.000000000001	0.000000000001	0.000000000001
42	0.0000000000005	mm	0.00	0.0000000000005	0.0000000000005	0.0000000000005	0.0000000000005	0.0000000000005	0.0000000000005
43	0.0000000000002	mm	0.00	0.0000000000002	0.0000000000002	0.0000000000002	0.0000000000002	0.0000000000002	0.0000000000002
44	0.0000000000001	mm	0.00	0.0000000000001	0.0000000000001	0.0000000000001	0.0000000000001	0.0000000000001	0.0000000000001
45	0.00000000000005	mm	0.00	0.00000000000005	0.00000000000005	0.00000000000005	0.00000000000005	0.00000000000005	0.00000000000005
46	0.00000000000002	mm	0.00	0.00000000000002	0.00000000000002	0.00000000000002	0.00000000000002	0.00000000000002	0.00000000000002
47	0.00000000000001	mm	0.00	0.00000000000001	0.00000000000001	0.00000000000001	0.00000000000001	0.00000000000001	0.00000000000001
48	0.000000000000005	mm	0.00	0.000000000000005	0.000000000000005	0.000000000000005	0.000000000000005	0.000000000000005	0.000000000000005
49	0.000000000000002	mm	0.00	0.000000000000002	0.000000000000002	0.000000000000002	0.000000000000002	0.000000000000002	0.000000000000002
50	0.000000000000001	mm	0.00	0.000000000000001	0.000000000000001	0.000000000000001	0.000000000000001	0.000000000000001	0.000000000000001
51	0.0000000000000005	mm	0.00	0.0000000000000005	0.0000000000000005	0.0000000000000005	0.0000000000000005	0.0000000000000005	0.0000000000000005
52	0.0000000000000002	mm	0.00	0.0000000000000002	0.0000000000000002	0.0000000000000002	0.0000000000000002	0.0000000000000002	0.0000000000000002
53	0.0000000000000001	mm	0.00	0.0000000000000001	0.0000000000000001	0.0000000000000001	0.0000000000000001	0.0000000000000001	0.0000000000000001
54	0.00000000000000005	mm	0.00	0.00000000000000005	0.00000000000000005	0.00000000000000005	0.00000000000000005	0.00000000000000005	0.00000000000000005
55	0.00000000000000002	mm	0.00	0.00000000000000002	0.00000000000000002	0.00000000000000002	0.00000000000000002	0.00000000000000002	0.00000000000000002
56	0.00000000000000001	mm	0.00	0.00000000000000001	0.00000000000000001	0.00000000000000001	0.00000000000000001	0.00000000000000001	0.00000000000000001
57	0.000000000000000005	mm	0.00	0.000000000000000005	0.000000000000000005	0.000000000000000005	0.000000000000000005	0.000000000000000005	0.000000000000000005
58	0.000000000000000002	mm	0.00	0.000000000000000002	0.000000000000000002	0.000000000000000002	0.000000000000000002	0.000000000000000002	0.000000000000000002
59	0.000000000000000001	mm	0.00	0.000000000000000001	0.000000000000000001	0.000000000000000001	0.000000000000000001	0.000000000000000001	0.000000000000000001
60	0.0000000000000000005	mm	0.00	0.0000000000000000005	0.0000000000000000005	0.0000000000000000005	0.0000000000000000005	0.0000000000000000005	0.0000000000000000005
61	0.0000000000000000002	mm	0.00	0.0000000000000000002	0.0000000000000000002	0.0000000000000000002	0.0000000000000000002	0.0000000000000000002	0.0000000000000000002
62	0.0000000000000000001	mm	0.00	0.0000000000000000001	0.0000000000000000001	0.0000000000000000001	0.0000000000000000001	0.0000000000000000001	0.0000000000000000001
63	0.00000000000000000005	mm	0.00	0.00000000000000000005	0.00000000000000000005	0.00000000000000000005	0.00000000000000000005	0.00000000000000000005	0.00000000000000000005
64	0.00000000000000000002	mm	0.00	0.00000000000000000002	0.00000000000000000002	0.00000000000000000002	0.00000000000000000002	0.00000000000000000002	0.00000000000000000002
65	0.00000000000000000001	mm	0.00	0.00000000000000000001	0.00000000000000000001	0.00000000000000000001	0.00000000000000000001	0.00000000000000000001	0.00000000000000000001
66	0.000000000000000000005	mm	0.00	0.000000000000000000005	0.000000000000000000005	0.000000000000000000005	0.000000000000000000005	0.000000000000000000005	0.000000000000000000005
67	0.000000000000000000002	mm	0.00	0.000000000000000000002	0.000000000000000000002	0.000000000000000000002	0.000000000000000000002	0.000000000000000000002	0.000000000000000000002
68	0.000000000000000000001	mm	0.00	0.000000000000000000001	0.000000000000000000001	0.000000000000000000001	0.000000000000000000001	0.000000000000000000001	0.000000000000000000001
69	0.0000000000000000000005	mm	0.00	0.0000000000000000000005	0.0000000000000000000005	0.0000000000000000000005	0.0000000000000000000005	0.0000000000000000000005	0.0000000000000000000005
70	0.0000000000000000000002	mm	0.00	0.0000000000000000000002	0.0000000000000000000002	0.0000000000000000000002	0.0000000000000000000002	0.0000000000000000000002	0.0000000000000000000002
71	0.0000000000000000000001	mm	0.00	0.0000000000000000000001	0.0000000000000000000001	0.0000000000000000000001	0.0000000000000000000001	0.0000000000000000000001	0.0000000000000000000001
72	0.00000000000000000000005	mm	0.00	0.00000000000000000000005	0.00000000000000000000005	0.00000000000000000000005	0.00000000000000000000005	0.00000000000000000000005	0.00000000000000000000005
73	0.00000000000000000000002	mm	0.00	0.00000000000000000000002	0.00000000000000000000002	0.00000000000000000000002	0.00000000000000000000002	0.00000000000000000000002	0.00000000000000000000002
74	0.00000000000000000000001	mm	0.00	0.00000000000000000000001	0.00000000000000000000001	0.00000000000000000000001	0.00000000000000000000001	0.00000000000000000000001	0.00000000000000000000001
75	0.000000000000000000000005	mm	0.00	0.000000000000000000000005	0.000000000000000000000005	0.000000000000000000000005	0.000000000000000000000005	0.000000000000000000000005	0.000000000000000000000005
76	0.000000000000000000000002	mm	0.00	0.000000000000000000000002	0.000000000000000000000002	0.000000000000000000000002	0.000000000000000000000002	0.000000000000000000000002	0.000000000000000000000002
77	0.000000000000000000000001	mm	0.00	0.000000000000000000000001	0.000000000000000000000001	0.000000000000000000000001	0.000000000000000000000001	0.000000000000000000000001	0.000000000000000000000001
78	0.0000000000000000000000005	mm	0.00	0.0000000000000000000000005	0.0000000000000000000000005	0.00			

Products	zinc die casting manufacturer,aluminum cast manufactory ,metal castings supplier ,zinc alloy die casting part,oem carbon steel die casting part,aluminium die casting parts
Materials	Aluminum ADC12, A380 etc
Dimensions	According to customer's drawing
Surface treatment	Heat treatment, polishing, powder coating, galvanized, electroplating, spraying, and painting and so on
Packing	Wooden box, or as per the customer's requirements
Processing equipments	CNC machining center, grinding machine, milling machine, drilling machine, horizontal milling machine, chamfering machine, CNC cutting machine etc.
Measure equipment	Hardness tester, precision plug gauge, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on
MOQ	negotiable
Precision/Tolerance	+/-0.01mm
Payment	T/T 50% deposit in advance ,50% T/T before shipment ;or others.
Business scope	CNC center machining, aluminum cast manufactory, cnc turning, grinding, tapping, mould design and processing, casting, sheet metal working etc
Application	Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, aluminum die casting parts, auto parts
Ports	ShenZhen China
Delivery	20-25 days after T/T 50% deposit
Main equipments	metal castings supplier
1.Name: Factory Price OEM aluminum die casting parts	
2.Process: Aluminum die casting, cnc machining	
3.Material: Aluminum ADC12, A380 etc	
4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc	
5.Tolerance: can reach to +/-0.01mm	
6.Quality control: 100% inspected	
7.Specification: OEM serice, strictly per drawing and samples	
8. Sample delivery time: 25-30 days, per products.	
9. Application: aluminum die casting parts,mining accessories, machinery accessorial, auto parts etc.	
10. Customer: USA,Canada, Austrial, EU etc.	
11. Certification: ISO 9001	
Our Advantage	
1. 10 years experience with ISO certified	
2. All kinds of material is available	
3. All kinds of sureface finishment is available	
4. High quality with competitive price	
5. Fast delivery time	
6. Sample available	
7. Have export experience to all over the world	
Our Services	
Aluminum die casting parts sample: Can supply for test	
Aluminum die casting parts packing: Standard packing	
Aluminum die casting parts certification: ISO9001	
Aluminum die casting parts quality: Strictly quality control	
Aluminum die casting parts OEM is welcomed	