

# Inspection Report

Report No.: XYAN-150305

Supplier : XY-GLOBAL

Inspection Date: 3<sup>th</sup> Apr., 2015

Inspector: LEO

|                                          |                    |
|------------------------------------------|--------------------|
| Inspection only for:                     | Inspection Result: |
| PO . XYBA-150305      Item No. XY21ZC092 | PASS               |

| Description | Finished Q'ty | Sample Size   | Defect Found | Defects Description | Acceptable Q'ty |
|-------------|---------------|---------------|--------------|---------------------|-----------------|
| XY21ZC092   | 8000pcs       | 7% inspection | 0pcs         | No failure          | 8000pcs         |

## Appearance Inspection :

No failure,

## Dimension Inspection:

No failure , below measurement report for reference.

## Assembly Test:

No failure

## Inspection Summary

The inspection sample plan is 100% inspection.

## Digital photo records :



1. Packing

2. Product:



3. Product:

4. Product:



| Item | Spec                  | Unit | Value | Unit | Value | Unit | Value | Unit | Value |
|------|-----------------------|------|-------|------|-------|------|-------|------|-------|
| 1    | Overall Length        | mm   | 25.00 | mm   | 25.00 | mm   | 25.00 | mm   | 25.00 |
| 2    | Overall Width         | mm   | 12.00 | mm   | 12.00 | mm   | 12.00 | mm   | 12.00 |
| 3    | Flange Width          | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 4    | Flange Thickness      | mm   | 2.00  | mm   | 2.00  | mm   | 2.00  | mm   | 2.00  |
| 5    | Central Hole Diameter | mm   | 4.00  | mm   | 4.00  | mm   | 4.00  | mm   | 4.00  |
| 6    | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 7    | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 8    | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 9    | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 10   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 11   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 12   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 13   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 14   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 15   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 16   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 17   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 18   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 19   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 20   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 21   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 22   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 23   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 24   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 25   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 26   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 27   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 28   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 29   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 30   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 31   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 32   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 33   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 34   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 35   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 36   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 37   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 38   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 39   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 40   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 41   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 42   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 43   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 44   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 45   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 46   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 47   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 48   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |
| 49   | Flange Hole Spacing   | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 | mm   | 10.00 |
| 50   | Flange Hole Diameter  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  | mm   | 6.00  |

5. Product :

6. Inspection report:

|                                                                                                           |                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Products                                                                                                  | cnc precision machined parts factory,cnc machined parts distributor,precision machining parts manufacturer,precision cnc machining supplier,CNC Machining part,CNC Lathe Processing,CNC Turning Part,CNC turing parts                |
| Materials                                                                                                 | Aluminum AL6061 AL6065,AL6063 ,AL7075, SUS304,SUS303,SUS316,POM etc                                                                                                                                                                  |
| Dimensions                                                                                                | According to customer's drawing                                                                                                                                                                                                      |
| Surface treatment                                                                                         | Heat treatment, polishing, coating, galvanized, electroplating, spraying, and painting and so on                                                                                                                                     |
| Packing                                                                                                   | Wooden box, or as per the customer's requirements                                                                                                                                                                                    |
| Processing equipments                                                                                     | CNC machining center, grinding machine, milling machine parts, drilling machine parts, horizontal milling machine, chamfering machine, CNC cutting machine etc.                                                                      |
| Measure equipment                                                                                         | Hardness tester, precision plug gauge, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on |
| MOQ                                                                                                       | negotiable                                                                                                                                                                                                                           |
| Precision/Tolerance                                                                                       | +/-0.01mm                                                                                                                                                                                                                            |
| Payment                                                                                                   | T/T 50% deposit in advance ,50% T/T before shipment ;or others.                                                                                                                                                                      |
| Business scope                                                                                            | CNC center machining, cnc machining, cnc drilling, cnc turning, grinding, tapping, mould design and processing, casting, sheet metal working etc                                                                                     |
| Application                                                                                               | Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, cnc machining parts, auto parts                                                                                        |
| Ports                                                                                                     | Shenzhen China                                                                                                                                                                                                                       |
| Delivery                                                                                                  | 20-25 days after T/T 50% deposit                                                                                                                                                                                                     |
| Main equipments                                                                                           | cnc machine center                                                                                                                                                                                                                   |
| 1.Name: Factory Price OEM cnc machining parts                                                             |                                                                                                                                                                                                                                      |
| 2.Process: Aluminum die casting, cnc machining                                                            |                                                                                                                                                                                                                                      |
| 3.Material: AL6061 AL6065,AL6063 ,AL7075 POM etc                                                          |                                                                                                                                                                                                                                      |
| 4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc                                |                                                                                                                                                                                                                                      |
| 5.Tolerance: can reach to +/-0.01mm                                                                       |                                                                                                                                                                                                                                      |
| 6.Quality control: 100% inspected                                                                         |                                                                                                                                                                                                                                      |
| 7.Specification: OEM serice, strictly per drawing and samples                                             |                                                                                                                                                                                                                                      |
| 8. Sample delivery time: 25-30 days, per products.                                                        |                                                                                                                                                                                                                                      |
| 9. Application: cnc machining parts,mining accessories, machinery accessoried, industrial, auto parts,etc |                                                                                                                                                                                                                                      |
| 10. Customer: USA,Canada, Austrial, EU etc.                                                               |                                                                                                                                                                                                                                      |
| 11. Certification: ISO 9001                                                                               |                                                                                                                                                                                                                                      |
| Our Advantage                                                                                             |                                                                                                                                                                                                                                      |
| 1. 10 years experience with ISO certified                                                                 |                                                                                                                                                                                                                                      |
| 2. All kinds of material is available                                                                     |                                                                                                                                                                                                                                      |
| 3. All kindls of sureface finishment is available                                                         |                                                                                                                                                                                                                                      |
| 4. High quality with competitive price                                                                    |                                                                                                                                                                                                                                      |
| 5. Fast delivery time                                                                                     |                                                                                                                                                                                                                                      |
| 6. Sample available                                                                                       |                                                                                                                                                                                                                                      |
| 7. Have export experience to all over the world                                                           |                                                                                                                                                                                                                                      |
| Our Services                                                                                              |                                                                                                                                                                                                                                      |
| CNC machining parts sample: Can supply for test                                                           |                                                                                                                                                                                                                                      |
| CNC machining parts packing: Standard packing                                                             |                                                                                                                                                                                                                                      |
| CNC machining parts certification: ISO9001                                                                |                                                                                                                                                                                                                                      |
| CNC machining parts quality: Strictly quality control                                                     |                                                                                                                                                                                                                                      |
| CNC machining parts OEM is welcomed                                                                       |                                                                                                                                                                                                                                      |

Safety is our serious job for our worker and engineer team

