

Inspection Report

Report No.: XYG-150307
Supplier : XY-GLOBAL

Inspection Date: 16th Apr, 2015
Inspector: Leo

Inspection only for: PO : XYG-150307 Item No. XY11WD048	Inspection Result: PASS
--	----------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11WD048	13000PCS	1% inspection	0pcs	No failure	13000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product

6. Report

400-Q1-108									
Lot No.		Rev.		Date		By		Check	
400-Q1-108		1.0		16/04/2015		Leo			
Item	Spec	Actual	Unit	Min	Max	Min	Max	Min	Max
1	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
2	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
3	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
4	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
5	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
6	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
7	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
8	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
9	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
10	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
11	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
12	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
13	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
14	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
15	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
16	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
17	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
18	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
19	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
20	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
21	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
22	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
23	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
24	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
25	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
26	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
27	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
28	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
29	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
30	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
31	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
32	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
33	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
34	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
35	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
36	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
37	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
38	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
39	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
40	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
41	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
42	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
43	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
44	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
45	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
46	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
47	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
48	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
49	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
50	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
51	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
52	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
53	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
54	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
55	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
56	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
57	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
58	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
59	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
60	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
61	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
62	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
63	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
64	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
65	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
66	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
67	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
68	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
69	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
70	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
71	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
72	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
73	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
74	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
75	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
76	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
77	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
78	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
79	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
80	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
81	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
82	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
83	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
84	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
85	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
86	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
87	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
88	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
89	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
90	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
91	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
92	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
93	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
94	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
95	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
96	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
97	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
98	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
99	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005
100	1.0	1.0	mm	0.995	1.005	0.995	1.005	0.995	1.005

Products	zinc die casting manufacturer,aluminum cast manufactory ,metal castings supplier ,zinc alloy die casting part,oem carbon steel die casting part,aluminium die casting parts
Materials	Aluminum ADC12, A380 etc
Dimensions	According to customer's drawing
Surface treatment	Heat treatment, polishing, powder coating, galvanized, electroplating, spraying, and painting and so on
Packing	Wooden box, or as per the customer's requirements
Processing equipments	CNC machining center, grinding machine, milling machine, drilling machine, horizontal milling machine, chamfering machine, CNC cutting machine etc.
Measure equipment	Hardness tester, precision plug gauge, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on
MOQ	negotiable
Precision/Tolerance	+/-0.01mm
Payment	T/T 50% deposit in advance ,50% T/T before shipment ;or others.
Business scope	CNC center machining, aluminum cast manufactory, cnc turning, grinding, tapping, mould design and processing, casting, sheet metal working etc
Application	Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, aluminum die casting parts, auto parts
Ports	ShenZhen China
Delivery	20-25 days after T/T 50% deposit
Main equipments	metal castings supplier
1.Name: Factory Price OEM aluminum die casting parts	
2.Process: Aluminum die casting, cnc machining	
3.Material: Aluminum ADC12, A380 etc	
4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc	
5.Tolerance: can reach to +/-0.01mm	
6.Quality control: 100% inspected	
7.Specification: OEM serice, strictly per drawing and samples	
8. Sample delivery time: 25-30 days, per products.	
9. Application: aluminum die casting parts,mining accessories, machinery accessorial, auto parts etc.	
10. Customer: USA,Canada, Austrial, EU etc.	
11. Certification: ISO 9001	
Our Advantage	
1. 10 years experience with ISO certified	
2. All kinds of material is available	
3. All kinds of sureface finishment is available	
4. High quality with competitive price	
5. Fast delivery time	
6. Sample available	
7. Have export experience to all over the world	
Our Services	
Aluminum die casting parts sample: Can supply for test	
Aluminum die casting parts packing: Standard packing	
Aluminum die casting parts certification: ISO9001	
Aluminum die casting parts quality: Strictly quality control	
Aluminum die casting parts OEM is welcomed	

Customer's Feedback



Dear Ivy,

I am very satisfied with Scott and I feel it's a great cooperation between XY Global and GST. I hope we can continue in such a perfect way in future.

Yours sincerely

Nicole Holtschke
Einkauf / Purchasing

01
OPTION



Hi Ivy,

Thanks for your email.

Jack is providing me with excellent service and I have been very happy with what you produce.

We hope to work long term with you also but my business partner has asked for other quotes before we make the next batch of products.

Still waiting to get them all back. Thank you!

Regards,
Scott James | Director

02
OPTION



Dear Ivy,

I am happy and no problem dealing with Scott, hope will keep good cooperation and relationship with your esteemed company.

Thanks
Regards
Siao

03
OPTION



Hello Ivy,

Naky has always been very responsive and met our requirements well.

I have no problem doing business with XY-Global.

Kind Regards
Keith



04
OPTION



Dear Ivy,

thank you for reaching out.

we are happy to work with nancy and looking forward to a long term cooperation.

best,

Sigmar Berg

05
OPTION