

Inspection Report

Report No.: XYSA-130522

Inspection Date: 15th Jun, 2013

Supplier : XY-GLOBAL

Inspector: Leo

Inspection only for: PO : XYSA-130522 Item No. XY11SL026	Inspection Result: PASS
---	----------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11SL026	12000PCS	5% inspection	0pcs	No failure	12000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

Item	Spec	Unit	Value	Unit	Value	Unit	Value	Unit	Value
1	1.1	mm	1.1	mm	1.1	mm	1.1	mm	1.1
2	1.2	mm	1.2	mm	1.2	mm	1.2	mm	1.2
3	1.3	mm	1.3	mm	1.3	mm	1.3	mm	1.3
4	1.4	mm	1.4	mm	1.4	mm	1.4	mm	1.4
5	1.5	mm	1.5	mm	1.5	mm	1.5	mm	1.5
6	1.6	mm	1.6	mm	1.6	mm	1.6	mm	1.6
7	1.7	mm	1.7	mm	1.7	mm	1.7	mm	1.7
8	1.8	mm	1.8	mm	1.8	mm	1.8	mm	1.8
9	1.9	mm	1.9	mm	1.9	mm	1.9	mm	1.9
10	1.10	mm	1.10	mm	1.10	mm	1.10	mm	1.10
11	1.11	mm	1.11	mm	1.11	mm	1.11	mm	1.11
12	1.12	mm	1.12	mm	1.12	mm	1.12	mm	1.12
13	1.13	mm	1.13	mm	1.13	mm	1.13	mm	1.13
14	1.14	mm	1.14	mm	1.14	mm	1.14	mm	1.14
15	1.15	mm	1.15	mm	1.15	mm	1.15	mm	1.15
16	1.16	mm	1.16	mm	1.16	mm	1.16	mm	1.16
17	1.17	mm	1.17	mm	1.17	mm	1.17	mm	1.17
18	1.18	mm	1.18	mm	1.18	mm	1.18	mm	1.18
19	1.19	mm	1.19	mm	1.19	mm	1.19	mm	1.19
20	1.20	mm	1.20	mm	1.20	mm	1.20	mm	1.20
21	1.21	mm	1.21	mm	1.21	mm	1.21	mm	1.21
22	1.22	mm	1.22	mm	1.22	mm	1.22	mm	1.22
23	1.23	mm	1.23	mm	1.23	mm	1.23	mm	1.23
24	1.24	mm	1.24	mm	1.24	mm	1.24	mm	1.24
25	1.25	mm	1.25	mm	1.25	mm	1.25	mm	1.25
26	1.26	mm	1.26	mm	1.26	mm	1.26	mm	1.26
27	1.27	mm	1.27	mm	1.27	mm	1.27	mm	1.27
28	1.28	mm	1.28	mm	1.28	mm	1.28	mm	1.28
29	1.29	mm	1.29	mm	1.29	mm	1.29	mm	1.29
30	1.30	mm	1.30	mm	1.30	mm	1.30	mm	1.30
31	1.31	mm	1.31	mm	1.31	mm	1.31	mm	1.31
32	1.32	mm	1.32	mm	1.32	mm	1.32	mm	1.32
33	1.33	mm	1.33	mm	1.33	mm	1.33	mm	1.33
34	1.34	mm	1.34	mm	1.34	mm	1.34	mm	1.34
35	1.35	mm	1.35	mm	1.35	mm	1.35	mm	1.35
36	1.36	mm	1.36	mm	1.36	mm	1.36	mm	1.36
37	1.37	mm	1.37	mm	1.37	mm	1.37	mm	1.37
38	1.38	mm	1.38	mm	1.38	mm	1.38	mm	1.38
39	1.39	mm	1.39	mm	1.39	mm	1.39	mm	1.39
40	1.40	mm	1.40	mm	1.40	mm	1.40	mm	1.40
41	1.41	mm	1.41	mm	1.41	mm	1.41	mm	1.41
42	1.42	mm	1.42	mm	1.42	mm	1.42	mm	1.42
43	1.43	mm	1.43	mm	1.43	mm	1.43	mm	1.43
44	1.44	mm	1.44	mm	1.44	mm	1.44	mm	1.44
45	1.45	mm	1.45	mm	1.45	mm	1.45	mm	1.45
46	1.46	mm	1.46	mm	1.46	mm	1.46	mm	1.46
47	1.47	mm	1.47	mm	1.47	mm	1.47	mm	1.47
48	1.48	mm	1.48	mm	1.48	mm	1.48	mm	1.48
49	1.49	mm	1.49	mm	1.49	mm	1.49	mm	1.49
50	1.50	mm	1.50	mm	1.50	mm	1.50	mm	1.50
51	1.51	mm	1.51	mm	1.51	mm	1.51	mm	1.51
52	1.52	mm	1.52	mm	1.52	mm	1.52	mm	1.52
53	1.53	mm	1.53	mm	1.53	mm	1.53	mm	1.53
54	1.54	mm	1.54	mm	1.54	mm	1.54	mm	1.54
55	1.55	mm	1.55	mm	1.55	mm	1.55	mm	1.55
56	1.56	mm	1.56	mm	1.56	mm	1.56	mm	1.56
57	1.57	mm	1.57	mm	1.57	mm	1.57	mm	1.57
58	1.58	mm	1.58	mm	1.58	mm	1.58	mm	1.58
59	1.59	mm	1.59	mm	1.59	mm	1.59	mm	1.59
60	1.60	mm	1.60	mm	1.60	mm	1.60	mm	1.60
61	1.61	mm	1.61	mm	1.61	mm	1.61	mm	1.61
62	1.62	mm	1.62	mm	1.62	mm	1.62	mm	1.62
63	1.63	mm	1.63	mm	1.63	mm	1.63	mm	1.63
64	1.64	mm	1.64	mm	1.64	mm	1.64	mm	1.64
65	1.65	mm	1.65	mm	1.65	mm	1.65	mm	1.65
66	1.66	mm	1.66	mm	1.66	mm	1.66	mm	1.66
67	1.67	mm	1.67	mm	1.67	mm	1.67	mm	1.67
68	1.68	mm	1.68	mm	1.68	mm	1.68	mm	1.68
69	1.69	mm	1.69	mm	1.69	mm	1.69	mm	1.69
70	1.70	mm	1.70	mm	1.70	mm	1.70	mm	1.70
71	1.71	mm	1.71	mm	1.71	mm	1.71	mm	1.71
72	1.72	mm	1.72	mm	1.72	mm	1.72	mm	1.72
73	1.73	mm	1.73	mm	1.73	mm	1.73	mm	1.73
74	1.74	mm	1.74	mm	1.74	mm	1.74	mm	1.74
75	1.75	mm	1.75	mm	1.75	mm	1.75	mm	1.75
76	1.76	mm	1.76	mm	1.76	mm	1.76	mm	1.76
77	1.77	mm	1.77	mm	1.77	mm	1.77	mm	1.77
78	1.78	mm	1.78	mm	1.78	mm	1.78	mm	1.78
79	1.79	mm	1.79	mm	1.79	mm	1.79	mm	1.79
80	1.80	mm	1.80	mm	1.80	mm	1.80	mm	1.80
81	1.81	mm	1.81	mm	1.81	mm	1.81	mm	1.81
82	1.82	mm	1.82	mm	1.82	mm	1.82	mm	1.82
83	1.83	mm	1.83	mm	1.83	mm	1.83	mm	1.83
84	1.84	mm	1.84	mm	1.84	mm	1.84	mm	1.84
85	1.85	mm	1.85	mm	1.85	mm	1.85	mm	1.85
86	1.86	mm	1.86	mm	1.86	mm	1.86	mm	1.86
87	1.87	mm	1.87	mm	1.87	mm	1.87	mm	1.87
88	1.88	mm	1.88	mm	1.88	mm	1.88	mm	1.88
89	1.89	mm	1.89	mm	1.89	mm	1.89	mm	1.89
90	1.90	mm	1.90	mm	1.90	mm	1.90	mm	1.90
91	1.91	mm	1.91	mm	1.91	mm	1.91	mm	1.91
92	1.92	mm	1.92	mm	1.92	mm	1.92	mm	1.92
93	1.93	mm	1.93	mm	1.93	mm	1.93	mm	1.93
94	1.94	mm	1.94	mm	1.94	mm	1.94	mm	1.94
95	1.95	mm	1.95	mm	1.95	mm	1.95	mm	1.95
96	1.96	mm	1.96	mm	1.96	mm	1.96	mm	1.96
97	1.97	mm	1.97	mm	1.97	mm	1.97	mm	1.97
98	1.98	mm	1.98	mm	1.98	mm	1.98	mm	1.98
99	1.99	mm	1.99	mm	1.99	mm	1.99	mm	1.99
100	2.00	mm	2.00	mm	2.00	mm	2.00	mm	2.00

6. The test report

Products	zinc die casting manufacturer,aluminum cast manufactory ,metal castings supplier ,zinc alloy die casting part,oem carbon steel die casting part,aluminium die casting parts
Materials	Aluminum ADC12, A380 etc
Dimensions	According to customer's drawing
Surface treatment	Heat treatment, polishing, powder coating, galvanized, electroplating, spraying, and painting and so on
Packing	Wooden box, or as per the customer's requirements
Processing equipments	CNC machining center, grinding machine, milling machine, drilling machine, horizontal milling machine, chamfering machine, CNC cutting machine etc.
Measure equipment	Hardness tester, precision plug gauge, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on
MOQ	negotiable
Precision/Tolerance	+/-0.01mm
Payment	T/T 50% deposit in advance ,50% T/T before shipment ;or others.
Business scope	CNC center machining, aluminum cast manufactory, cnc turning, grinding, tapping, mould design and processing, casting, sheet metal working etc
Application	Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, aluminum die casting parts, auto parts
Ports	ShenZhen China
Delivery	20-25 days after T/T 50% deposit
Main equipments	metal castings supplier
1.Name: Factory Price OEM aluminum die casting parts	
2.Process: Aluminum die casting, cnc machining	
3.Material: Aluminum ADC12, A380 etc	
4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc	
5.Tolerance: can reach to +/-0.01mm	
6.Quality control: 100% inspected	
7.Specification: OEM serice, strictly per drawing and samples	
8. Sample delivery time: 25-30 days, per products.	
9. Application: aluminum die casting parts,mining accessories, machinery accessorial, auto parts etc.	
10. Customer: USA,Canada, Austrial, EU etc.	
11. Certification: ISO 9001	
Our Advantage	
1. 10 years experience with ISO certified	
2. All kinds of material is available	
3. All kinds of sureface finishment is available	
4. High quality with competitive price	
5. Fast delivery time	
6. Sample available	
7. Have export experience to all over the world	
Our Services	
Aluminum die casting parts sample: Can supply for test	
Aluminum die casting parts packing: Standard packing	
Aluminum die casting parts certification: ISO9001	
Aluminum die casting parts quality: Strictly quality control	
Aluminum die casting parts OEM is welcomed	

Safety is our serious job for our worker and engineer team

