

Inspection Report

Report No.: XYSK-140516
Supplier: XY-GLOBAL

Inspection Date: 18th Jun, 2014
Inspector: Leo

Inspection only for: PO . XYSK-140516 Item No. XY11WD017	Inspection Result: PASS
---	----------------------------

Description	Finished Q'ty	Sample Size	Defect Found	Defects Description	Acceptable Q'ty
XY11WD017	6000PCS	1% inspection	0pcs	No failure	6000pcs

Appearance Inspection :

No failure,

Dimension Inspection:

No failure , below measurement report for reference.

Assembly Test:

No failure

Inspection Summary

The inspection sample plan is 100% inspection.

Digital photo records :



1. Packing



2. Product



3. Product



4 Product



5. Product:

XY11WD017									
Item	Spec	Unit	Min	Max	Min	Max	Min	Max	Min
1	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
2	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
3	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
4	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
5	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
6	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
7	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
8	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
9	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
10	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
11	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
12	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
13	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
14	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
15	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
16	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
17	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
18	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
19	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
20	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
21	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
22	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
23	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
24	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
25	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
26	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
27	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
28	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
29	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
30	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
31	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
32	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
33	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
34	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
35	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
36	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
37	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
38	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
39	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
40	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
41	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
42	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
43	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
44	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
45	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
46	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
47	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
48	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
49	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
50	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
51	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
52	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
53	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
54	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
55	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
56	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
57	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
58	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
59	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
60	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
61	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
62	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
63	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
64	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
65	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
66	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
67	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
68	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
69	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
70	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
71	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
72	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
73	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
74	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
75	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
76	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
77	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
78	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
79	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
80	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
81	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
82	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
83	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
84	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
85	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
86	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
87	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
88	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
89	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
90	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
91	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
92	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
93	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
94	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
95	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
96	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
97	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
98	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
99	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995
100	1.000	mm	0.995	1.005	0.995	1.005	0.995	1.005	0.995

6. Dimensions report

Products	zinc die casting manufacturer,aluminum cast manufactory ,metal castings supplier ,zinc alloy die casting part,oem carbon steel die casting part,aluminium die casting parts
Materials	Aluminum ADC12, A380 etc
Dimensions	According to customer's drawing
Surface treatment	Heat treatment, polishing, powder coating, galvanized, electroplating, spraying, and painting and so on
Packing	Wooden box, or as per the customer's requirements
Processing equipments	CNC machining center, grinding machine, milling machine, drilling machine, horizontal milling machine, chamfering machine, CNC cutting machine etc.
Measure equipment	Hardness tester, precision plug gauge, gauge block, digital outside micrometer, outside micrometer, digital caliper, inside micrometer, inside dial indicator, dial vernier caliper, dial indicator, depth vernier caliper and so on
MOQ	negotiable
Precision/Tolerance	+/-0.01mm
Payment	T/T 50% deposit in advance ,50% T/T before shipment ;or others.
Business scope	CNC center machining, aluminum cast manufactory, cnc turning, grinding, tapping, mould design and processing, casting, sheet metal working etc
Application	Automation machine, medical device, industrial machine, automobile, electric appliance, and other industries, aluminum die casting parts, auto parts
Ports	ShenZhen China
Delivery	20-25 days after T/T 50% deposit
Main equipments	metal castings supplier
1.Name: Factory Price OEM aluminum die casting parts	
2.Process: Aluminum die casting, cnc machining	
3.Material: Aluminum ADC12, A380 etc	
4.Surface:Polishing, powder coated, anodized, nickle plating, chromate etc	
5.Tolerance: can reach to +/-0.01mm	
6.Quality control: 100% inspected	
7.Specification: OEM serice, strictly per drawing and samples	
8. Sample delivery time: 25-30 days, per products.	
9. Application: aluminum die casting parts,mining accessories, machinery accessorial, auto parts etc.	
10. Customer: USA,Canada, Austrial, EU etc.	
11. Certification: ISO 9001	
Our Advantage	
1. 10 years experience with ISO certified	
2. All kinds of material is available	
3. All kinds of sureface finishment is available	
4. High quality with competitive price	
5. Fast delivery time	
6. Sample available	
7. Have export experience to all over the world	
Our Services	
Aluminum die casting parts sample: Can supply for test	
Aluminum die casting parts packing: Standard packing	
Aluminum die casting parts certification: ISO9001	
Aluminum die casting parts quality: Strictly quality control	
Aluminum die casting parts OEM is welcomed	